



**Environmental
Protection
Agency**

Ganges Street, Sophia,
Georgetown, GUYANA
Tel.: (592) 225-0506
Fax: (592) 225-5481
Email: epa@epaguyana.org
Website: <http://www.epaguyana.org>

Environmental Permit

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000

| | |
|-----------------------|---|
| Reference No.: | 20230613-TRNVL |
| Fee: | Small (C2) - US\$175 per year |
| Fee Paid: | US\$875 for Five (5) Years (November, 2023 – October, 2028) |
| Addressee: | New Vision Medical Center Inc. 176 Middle Street, North Cummingsburg, Georgetown |
| Activity: | Operation of a Medical Centre (Only) |

New Vision Medical Inc., hereinafter referred to as the “Permit Holder”, is hereby authorised in accordance with the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, to Operate a Medical Center (Only) at 176 Middle Street, North Cummingsburg, Georgetown, hereinafter referred to as the “Project”, in a manner indicated in the Application for Environmental Authorisation submitted on June 13, 2023, and subject to the terms and conditions set forth herein under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, existing and/or forthcoming Regulations made under the said Act, and/or any applicable laws, guidelines, best practices, and standards relevant to this project.

The Permit Holder, His Servants, Agents, and/or Sub- Contractors shall comply with the following Terms and Conditions for Operation:

1.0 OPERATION

- 1.1 Make an application to the Agency to vary this Permit in instances where it becomes necessary to:
- change the construction, operation, structure, or layout of the facility and all associated buildings;
 - change equipment, machine, apparatus, mechanism, system or technology serving the facility;
 - change the position and design of any outlet at the point or points of discharge of effluents; or
 - effect any other change outlined in 20(3) of the Environmental Protection (Authorisations) Regulations.

- 1.2 Make all employees, and third parties under your direction, aware of the conditions of the Environmental Authorisation and provide training on good environmental practices.
- 1.3 A register of the types and quantities of chemical reagents managed at the Project shall be established and maintained. The registered information shall be summarized and made available to the EPA upon request.
- 1.4 Chemical Reagents shall be stored in accordance with the manufacturer's directions or Safety Data Sheet (SDS) instructions.
- 1.5 Safety Data Sheets for all Chemical Reagents shall be readily available and easily accessible at all times during the Project.
- 1.6 All significant noise-producing equipment, such as generators, shall be equipped with silencers or mufflers and/or be enclosed in suitable acoustic enclosures where necessary; to reduce noise levels impacting the surrounding environment to achieve compliance with Guyana National Bureau of Standards (GNBS) requirement.
- 1.7 Emergency spill cleanup kits for spills of chemical reagents shall be maintained at the facility. Kits shall contain absorbent materials and other appropriate tools for clean-up.
- 1.8 Apply to and obtain the Guyana Fire Service approval and submit a copy to the EPA for its records.
 - 1.8.1 Fire prevention and control equipment shall be maintained in accordance with the Guyana Fire Service approval.
- 1.9 **The Permit Holder shall submit to the Agency upon receipt, Central Housing and Planning Authority (CH&PA) approval for the Operation of a Medical Centre (Only).**
- 1.10 Adhere to the **Occupational Safety and Health Act requirements, Cap. 99:01, Laws of Guyana.**
- 2.0 STORAGE AND USE OF RADIOACTIVE DEVICES**
 - 2.1 Adhere to **“Part IV Diagnostic Imaging Facilities” of Guyana’s Health Facilities Regulations.**
 - 2.2 Maintain a consistent power supply. An uninterruptible power supply or battery backup system shall be installed to gather active information during an outage and regulate the shutdown of any software.
 - 2.3 Signs and warning lights shall be positioned at eye level and placed at the entrances of controlled and supervised areas to prevent inadvertent entry to radioactive storage areas.



- 2.4 The X-ray room shall be set up to avoid the direct incidence of the X-ray beam on the access doors.
- 2.5 The doors to radiography rooms shall provide protective shielding for Secondary Radiation.
- 2.6 The access doors shall be closed when the X-ray beam is on.
- 2.7 Personnel using or responsible for the use of the X-ray equipment shall have prescribed qualifications and/or training.

3.0 NON-HAZARDOUS WASTE MANAGEMENT

- 3.1 In accordance with the **Environmental Protection (Litter Enforcement) Regulations, 2013**, promote good sanitation and solid waste disposal practices on site. Covered garbage receptacles shall be placed upon impervious bases at strategic locations, both within and outside the facility.
- 3.2 Non-hazardous solid waste shall **not** be burnt at the Project. All solid waste shall be disposed of at an EPA-approved Solid Waste Disposal Site.
- 3.3 Good housekeeping, sanitary, and hygienic practices shall be maintained at all times. The facility's drains and surroundings shall be kept free of vegetation and litter.
- 3.4 Waste collection areas shall be kept clean. Dry methods shall be used when cleaning around waste handling and disposal areas (e.g. sweeping, use of absorbents).
- 3.5 Maintain the septic tank system onsite. Septic Tanks at all times shall be accessible for cleaning and de-sludging. Septic tanks should be installed with a sand and charcoal filter bed, or other appropriate design for further treatment. This must be in accordance with the Guyana National Bureau of Standards Code of Practice for the Design and Construction of Septic Tanks and Associated Secondary Treatment and Disposal Systems.
- 3.6 Any modification to the Septic Tank (s) must be in accordance with the Guyana National Bureau of Standards (GNBS) Code of Practice for the Design and Construction of Septic Tanks and Associated Secondary Treatment and Disposal Systems.

4.0 BIO-HAZARDOUS WASTE MANAGEMENT

- 4.1 Adhere to the provisions of the **Environmental Protection (Hazardous Waste Management) Regulations, 2000**.
- 4.2 All waste mixed or contaminated with medical waste shall be treated as bio-hazardous waste.



- 4.3 An Occupational Safety, Health, and Environmental Management Training Schedule for staff involved in the collection, storage, and handling of bio-hazardous waste shall be maintained and made available to the EPA upon request.
- 4.4 Bio-hazardous wastes shall be identified and segregated according to category, at the point of generation.
- 4.5 Bio-hazardous wastes shall be properly labeled and color-coded. Labeling can include words such as "Infectious Substances", "Bio Hazardous Waste" and "Bio Hazard".
- 4.6 Putrescible medical waste shall be refrigerated at 40 °F (4° C) or below.
- 4.7 Disposal of sharps shall **NOT** incorporate cutting, breaking, bending, or any other manipulation.
- 4.7.1 Staff are strictly prohibited from washing/cleaning sharps before disposal.
- 4.8 Used sharps shall be placed in containers that meet the following requirements:
- i. Rigid;
 - ii. Puncture resistant;
 - iii. Impervious to moisture, leak, and shatterproof;
 - iv. Displays the universal bio-hazard symbols and a clear label of its contents; and
 - v. Can be sealed, preferably with a self-closing lid and/or a lid that prevents persons from removing sharps from the container.
- 4.9 Avoid the use of mercury-based medical devices (e.g., thermometers and blood pressure devices) and replace them with digital alternatives. In instances where mercury waste is generated, the waste shall be segregated for disposal.
- 4.10 Bio-hazardous waste containers shall adhere to the following particulars of appropriate labelling:
- i. Name (location);
 - ii. Date;
 - iii. Type of Waste;
 - iv. List of Content; and
 - v. Quantity.
- 4.11 Storage of Bio-hazardous waste shall **not exceed thirty (30) days**. The thirty-day period commences when the first item is placed into the designated storage container.
- 4.12 The transportation of Bio-hazardous waste for treatment and disposal shall be documented on a **Waste Manifest Form**. Waste Manifest Forms must be made available to the EPA upon request.



- 4.12.1 The transporter must sign and date the manifest upon receiving the bio-hazardous waste from the generator.
- 4.13 The Biohazardous waste storage area shall be maintained in accordance with the following conditions:
- 4.13.1 The area shall be bunded to provide 100% containment;
 - 4.13.2 The area shall be secure and access restricted to authorised personnel only;
 - 4.13.3 Warning signs and biohazard symbols shall be posted on the facility;
 - 4.13.4 The area shall have a hard, impermeable floor with drainage, and designed to withstand cleaning/disinfection, without cracking, breaking, or other damage which would prevent effective disinfection;
 - 4.13.5 The area shall have easy access to waste collection vehicles; and
 - 4.13.6 The area shall be protected from contamination and contact with water, rain, wind, and animals. Measures shall be taken to ensure the area does not become a breeding ground for vermin.

5.0 WATER QUALITY

- 5.1 Adhere to the provisions of the **Environmental Protection (Water Quality) Regulations, 2000.**
- 5.2 The direct discharge of untreated effluent into the environment is **strictly prohibited.**

6.0 COMPLIANCE MONITORING AND REPORTING

- 6.1 Notify the Environmental Protection Agency **within one (1) hour** of the occurrence of any environmental emergencies (e.g. oil spills, biohazardous materials/wastes spill, sudden onset disaster, natural, technological, or human-induced factors that cause or threaten to cause severe environmental damage as well as harm to human health or livelihood).
- 6.2 Make all employees, and third parties under your direction, aware of the conditions of the Environmental Authorisation and provide training on good environmental practices. The annual training schedule shall be submitted in the **Annual Report.**
- 6.3 Monitor the implementation of the conditions of this Permit, insofar as they involve adherence by your employees and all third parties under your direction.
- 6.4 Notify the Agency in writing of any change of name or ownership of the Permit

Holder's facility within **thirty (30) days** after the change occurs.

- 6.5 Notify the Agency **within twenty-one (21) days** in the event of death, bankruptcy, liquidation, or receivership of the Permit Holder or if the Company becomes a party to an amalgamation.
- 6.6 Maintain and submit to the Agency records of the type, composition, and quantity of contaminant released (i.e. any solid, liquid, gas, odour, sound, vibration, radiation, heat, or combination of any of them).
- 6.7 Submit an **Annual Report** to the EPA on your compliance with this Permit on or before **March 31, of each year**.
- 6.8 Report to the Agency any non-compliance(s) with the Environmental Permit:
- i. Within **twenty-four (24) hours** of the time the Holder of the Environmental Permit becomes aware of the non-compliance outlining the anticipated manner in which human health or the environment may be impacted.
 - ii. Within **seventy-two (72) hours** of the time the Holder of the Environmental Permit becomes aware of the non-compliance, submit to the Agency a written report containing a description of the non-compliance, its cause, the period of non-compliance including exact dates and time, and the anticipated time it is expected to continue if the non-compliance(s) has not been corrected.
- 6.9 Comply with any lawful directions given by the EPA from time to time in furtherance of the implementation of any international or other obligation for the environmental protection of Guyana.
- 6.10 It is the responsibility of the Permit Holder to ensure the permitted activity and premises are secured and that all practicable steps necessary to prevent fires, explosions, leaks, or suspected leaks and spills at the permitted premises are taken.

7.0 INSTITUTIONAL AUTHORITY/ LIABILITIES



- 7.1 The EPA reserves the right to conduct regular inspections of the Permit Holder's operation as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap. 20:05, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection Regulations, 2000.
- 7.2 The Permit Holder shall be liable for any material environmental harm caused by polluting the environment, pursuant to s. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.



- 7.3 The Permit Holder shall be liable for any serious environmental harm caused by polluting the environment, pursuant to s. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.4 The Permit Holder shall be liable for any activity that causes or is likely to cause pollution of the environment unless all reasonable and practicable measures are taken to prevent or minimize any resulting adverse effect, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.5 The Permit Holder shall be liable for discharging, causing, or permitting the entry into the environment, of any contaminant in any amount, concentration, or level in excess of that prescribed by the regulations or stipulated by this Environmental Permit, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.6 The Permit Holder shall be liable to compensate any person who suffers any loss or damage as a result of contravening conditions 5.4 and 5.5 of this Environmental Permit, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.7 The Permit Holder shall not be indemnified by the Agency for any activity that causes or is likely to cause pollution to the environment, resulting from adverse effects through the discharge, of any contaminant in any amount, concentration, ultra-hazardous substances, chemicals or otherwise, and shall be rendered liable to prosecution and penalties prescribed under the Environmental Protection Act and Regulations.
- 7.8 The Permit Holder shall be liable for any gross negligence or willful misconduct caused by the Permit Holder, his Servants and/or Agents, to the environment, biodiversity, protected species and natural habitat with respect to any release, discharge, or spill, of contaminant fluids, oil or lubricants.
- 7.9 Should the Permit Holder contravene or be likely to contravene any condition of this Permit, the Agency (EPA) may serve on him an Enforcement Notice in accordance with Section 26 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.10 Where it appears to the Agency that the Permit Holder is engaged in any activity that may pose a serious threat to natural resources or the environment or a risk of serious pollution of the environment or any damage to public health, the EPA may issue to the Permit Holder a Prohibition Notice, which may order him to immediately cease the offending activity, in accordance with Section 27 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.11 The EPA reserves the right to conduct regular inspections of the Permit Holder's construction activities as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap 20:05, the Environmental Protection


(Amendment) Act, 2005, and Environmental Protection (Authorisations) Regulations, 2000.

- 7.12 The Permit Holder, His Servants, and/or Agents shall at all times, allow entry to the permitted facility to any Officer designated by the EPA for the purposes of conducting inspections or any other legitimate business of the Agency. Pursuant to Section 38 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana, it is an offense to assault, obstruct or hinder an authorised person in the execution of his/her duty under the said Act or its Regulations and the Permit Holder shall be liable to penalties prescribed under paragraph (c) of the Fifth Schedule for doing so.
- 7.13 The EPA has the right to modify, cancel, or suspend this Permit for breach of any of the terms and conditions contained herein.
- 7.14 **This Environmental Permit is not the final consent; all relevant Permits should be obtained from other regulatory bodies for continued operation.**
- 7.15 This Environmental Permit is effective for the period stipulated herein; **November 2023 to October 2028.**
- 7.16 This Environmental Permit shall remain valid until **October 31, 2028**, unless otherwise suspended, cancelled, modified, or varied, in accordance with the provisions of this Permit or the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.
- 7.17 This Permit must be renewed by submitting a completed *Application Form for Renewal of Environmental Authorization* to the Agency at least six months before this Permit expires, that is, no later than **April 30, 2028.**
- 7.18 Any late submission of renewal application after the specified date as stated above, the Agency may require the Permit Holder to pay, in addition to the renewal fee, a late penalty fee (accruing at the time such obligation was first owed for renewal) at a rate of **two thousand dollars (GY\$2000.00) per day for every business day late**, until such renewal application is submitted to the Agency, without prejudice to any other rights of the Permit Holder in connection therewith.
- 7.19 Failure to comply with the requirements of this Permit or with applicable laws and regulations, whether existing or forthcoming, shall render the Permit Holder liable to prosecution and to penalties, inclusive of civil penalties, injunctive relief, and imprisonment, as prescribed under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection Regulations, and other applicable.

Signed by  on behalf of the Environmental Protection Agency.

Mr. Kemraj Parsram
Executive Director

Date 2023.11.21

I hereby accept the above terms and conditions upon which this Environmental Permit is granted and agree to abide by the Environmental Protection Act, Cap. 20:05, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, and any existing or forthcoming regulations, guidelines, best practices and standards made under this Act.

| | |
|---------------------|---|
| NAME: | Ray CHANCE |
| DATE: | 5/02/2024 |
| SIGNATURE: |  |
| DESIGNATION: | Driver |



