

Ganges Streets, Sophia, Georgetown, GUYANA Tel.: (592)-225-0506 Fax: (592) - 225- 5481

Email: epa@epaguyana.org

Website: http://www.epaguyana.org

Environmental Permit (Interim)

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

| Reference No.: | 20221220-EHRMI | |
|-----------------------|---|--|
| Fee: | Medium (C2) – US\$2,500 per year | |
| Fee Paid: | US \$ 2,500 (May, 2023 to June, 2024)- One (1) year | |
| Addressee: | Mr. Jesvin Pradeep Kumar Nathan Director Ekaar Hrim Earth Resources Management Inc. Lot 108, Third Street Albertown Georgetown. | |
| Activity: | Construction of Mine Site Facilities and Accommodation structures for a Stone Quarry | |

Jesvin Pradeep Kumar Nathan, trading and operating under Ekaar Hrim Earth Resources Management Inc., hereinafter referred to as the "Permit Holder", is hereby authorised in accordance with the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection Regulations, 2000, to conduct preliminary project preparation and construction works and fulfill the requirements for full environmental authorization as stated herein for a Stone Quarry to be situated at Block LM 41:E-1000/000/2022, at the confluence of Cuyuni River and Amariwabe River, Region #07, hereinafter referred to as the "Project", in the manner indicated in the Application for Environmental Authorisation dated December 20, 2022, and subject to the terms and conditions set forth herein under the Environmental Protection Act, Cap. 20:05, existing and/or forthcoming regulations made under the said Act, and/or any applicable laws, guidelines, standards and best practices relevant to this project.



Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

The Permit Holder, His Servants, Agents and Sub-Contractor shall comply with the following Terms and Conditions for Operation:

1.0 GENERAL

- Submit to the EPA an Environmental Assessment Management Plan (EAMP) within the first three (3) months of the date that this Permit is issued, unless otherwise stated by the EPA. The EAMP shall include but not be limited to any potential environmental and social impacts, human risks and feasible cost-effective measures to mitigate impacts so as to manage/reduce potential environmental impacts to biodiversity, water quality, air quality, and soil degradation to an acceptable level, a Monitoring and Emergency Plan, Closure and Reclamation Plan and any other consideration as required by the Agency.
- The Environmental Assessment Management Plan (EAMP) required under subsection 1.1 will inform the revision and updating of applicable conditions as set forth below and inclusion of any other conditions as the Agency sees fit to ensure protection of the environment and prevention or mitigation of pollution/contamination
- 1.3 Make an application to the Agency to vary this Environmental Permit (Interim) in instances where it becomes necessary to:

i. change the construction, or layout of the facility and all associated buildings;

- ii. Change the position and design of any outlet at the point or points of discharge of effluents; or effect any other change outlined in 20(3) of the Environmental Protection (Authorisations) Regulations.
- 1.4 Ensure all activities are conducted within the boundaries more fully described in the Prospecting Licence, bearing the Reference Block Number LM 41: E-1000/000/2022, at the confluence of Cuyuni River and Amariwabe River, Region 7, issued by the Guyana Geology and Mines Commission (GGMC).
- Any other developmental activities which may significantly affect the environment apart from the activities covered by this Permit (Mine Site construction Camp and Accommodation Development) are **strictly prohibited**.
- 1.6 Install and maintain proper signage and security measures to keep unauthorized persons from accessing restricted and high-risk areas within boundaries of the concession.

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- Adhere to the stipulations within the Mining Act, No. 20 of 1989, the Mining Regulations including the Mining (Amendment) Regulations, 2005, the Explosives Act, Cap 16:06, the Blasting Operations Act, Cap 65:03.
- 1.8 Ensure that transportation of barges and vessels to and from the project site does not encumber traffic on the Cuyuni River, and is done in accordance with the requirements of the Guyana Authorities.

2.0 CONSTRUCTION AND DEVELOPMENT

- 2.1 Submit an updated site plan detailing all developmental activities that will be carried out on the project site as well as the mitigation measure that will be implemented to prevent damage to land, vegetation, and prevents pollution of surface water bodies.
- 2.2 Limit cleared areas to those identified within the Mine Plan for ore recovery, infrastructure development, waste and stockpiles areas, etc. In instances where proposed areas have previously been cleared, a record of clearance should be maintained prior to development.
- 2.3 Utilise the land in accordance with the Site Plan submitted to the Agency. All specifications of location, pathways, reserve and boundary lines must be adhered to, unless otherwise authorised.
- 2.4 Construct and maintain a good drainage system at the Mine Site and ensure that the land is level and appropriately built up to avoid floods and contamination of the Cuyuni River and other receiving waters.
- 2.5 Ensure that all workers and visitors to the Mine Site undergo health and safety induction pertaining to the hazards prevalent on the site and persons are equipped with the necessary personal protective equipment.
- 2.6 Avoid erosion, siltation and sedimentation of the Cuyuni River and any other waterways within and around the vicinity of the project site during Mine Site construction

3.0 OCCUPATIONAL HEALTH AND SAFETY

- 3.0 Adhere to the requirements of the Occupational Safety and Health Act, Cap. 99:01, Laws of Guyana.
- **3.1** Institute a transparent and accessible grievance mechanism for employees to relate and address any work-related concerns or problems which may arise and

H

\$

3

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

affect the well-being or performance of the workers.

- 3.2 Have on site a Health, Safety/Environmental Officer or a qualified person (s) to be responsible for the implementation of the Company's Health and Safety/Environmental Program and the terms and conditions of this Environmental Permit and any other policy document that would be developed and implemented by your establishment.
- 3.3 Provide Employees with training on: good environmental management practices; occupational health and safety; and their obligations under this Permit (Environmental Permit (Interim) Ref. No. 220221220-EHRMI) on a regular basis.
- **3.4** Prepare and maintain a training file for all employees and third-party contractors, which shall be available upon Officers' request.
- 3.5 Employees shall at all times be well protected and equipped with Personal Protective Equipment relevant to the occupational tasks during operation. These Personal Protective Equipment (PPE) must include but not be limited to:
 - I. Safety helmets;
 - II. Protective respiratory devices
 - III. Safety boots with ankle support;
 - IV. Gloves with reinforced palms and fingers; and
 - V. Tightly fitted safety goggles.
- **3.6** Prepare and maintain an employee log of distribution of Personal Protective Equipment (PPE).
- **3.7** Provide well-equipped first aid and snake bite kits at the work site.
- **3.8** Ensure that communication and transportation systems are in place to respond to emergencies.
- **3.9** Provide and maintain adequate fire protection measures, in accordance with guidelines established by the Guyana Fire Service.

4.0 VEGETATION CLEARING AND TOP SOIL STRIPPING

- **4.1** Maintain natural vegetative cover as far as practical, especially in the vicinity of steep slopes occurring at project site and re-vegetate areas from which vegetation were removed.
- 4.2 Storage of topsoil (overburden) within three meters (3 m) of natural vegetation or mine face is strictly prohibited. Top soil and vegetation must be carefully





Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

stripped and stockpiled in an allocated area marked by a sign.

- **4.3** Practice alternative methods of vegetation clearing rather than burning, such as, manual or mechanical felling or bulldozing.
- **4.4** Practical measures, such as growing of vegetation, including shrubs and grasses, on spoil piles shall be employed to reduce erosion, and dust nuisance to surrounding ecosystems.
- 4.5 Store overburdened stockpiles at least **Two Hundred (200) meters** away from any water courses or drainage system.
- **4.6** Runoff from these stockpiles shall be directed to the sedimentation/settling pond for treatment before discharge.
- **4.7** Maintain the integrity of areas where riparian vegetation is located to aid in mitigating erosion/sedimentation impacts at the site.
- 4.8 Consider the weather pattern before initiating major earthworks. Monitor areas of exposed soil during periods of heavy rainfall.
- 4.9 Avoid soil compaction, erosion, rutting, siltation and sedimentation during operation by limiting the size of the disturbed area, slope length and gradient, and the duration of soil exposure.

5.0 ROADS AND BRIDGES

- **5.0** Ensure that the running surface of used roads are crowned with a compacted layer and with good drainage on both sides to catch and direct water to the local drainage system.
- 5.1 Soil erosion shall be minimised by but not limited to constructing sloped roads and turnout drains at regular intervals, filling in ruts and holes that develop during road/trail use with suitable materials such as compacted fill and crush and run etc.
- 5.2 Equip all trucks, mechanical machineries and vehicles with the necessary reflecting signage to warn the public/workers of impending danger of parked/moving trucks.
- 5.3 Install adequate and appropriate road signage with provisions for safe line of sight along all access roads and tracks. Signs shall inform users of dangerous bends, crossing of haul trucks, vehicle speed limits, etc.



H

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 5.4 Maintain roads, drainage ditches, culverts and or berms, etc. in a manner that results in minimal impact on public health and the environment.
- 5.5 Implement suitable measures to impede the flow of effluent runoff and sediments into the surface water body being bridged.

6.0 WATER QUALITY MANAGEMENT

- 6.1 Adhere to the provisions of the Environmental Protection (Water Quality) Regulations, 2000.
- 6.2 As far as possible, implement practical measures to prevent pollution of the **Cuyuni River**. Domestic waste water shall not be discharged directly into watercourses. Install a filter treatment system at the domestic water discharge point for further treatment before discharge.

7.0 HAZARDOUS WASTE MANAGEMENT

- 7.2 Adhere to the provisions of the Environmental Protection (Hazardous Waste Management) Regulations, 2000, and the stipulations within the Pesticides and Toxic Chemicals Act, No. 13 of 2000, the Pesticides and Toxic Chemicals Regulations, No. 8 of 2004, the Pesticides and Toxic Chemicals (Amendment) Regulations, No. 8 of 2007.
- 7.3 (a) Collect and store waste oils, used batteries, used tires and any other hazardous waste on site until ready for disposal in a manner approved by the EPA.
 - (b)Refrain from draining fuel/lubricants, including waste oils of any quantity from equipment on to the ground and waterways.
- 7.4 Contain all chemicals securely and conform to the safety conditions as outlined in the Material Safety Data Sheet for each chemical. Keep all chemicals in well-sealed and individually labeled containers and properly store in an impervious and well-ventilated room/bond.
- **7.5** Safety Data Sheets for all hazardous materials shall be readily available and easily accessible at all times at the Facility.
- 7.6 Take the necessary precautionary measures during the transport, transfer, use and handling of all hazardous material.
- 7.7 Service vehicles in a designated area except in instances of emergency repairs.

×

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

7.8 Maintain emergency spill cleanup kits on site for response to spills.

8.0 FUEL HANDLING AND STORAGE

- 8.1 Fuel shall at all times be stored above-ground, in a cool, dry place and away from ignition sources.
- 8.2 Construct and maintain an impervious secondary containment wall around fuel storage tanks, creating a temporary holding area in the event of accidental spillage. The containment wall for areas with multiple tanks must have the capacity to provide at least 110% containment of the largest tank. The containment wall for areas with solitary tanks must have the capacity to provide 110% containment of each fuel tank.
- 8.3 Existing secondary containment around the fuel tanks shall be inspected monthly for cracks and breakage to ensure they are liquid tight to withstand hydrostatic pressure.
- 8.4 All piping must enter or exit the containment over the wall and no part of the tank infrastructure (e.g., dispenser, filing hoses and valves) shall protrude outside the containment.
- 8.5 Ensure that adequate signage is installed in fuel storage areas, such as 'No Smoking', 'Flammable Materials', etc.
- 8.6 Protection measures for fuel storage tanks such as painting and coating shall be maintained to minimize corrosion of fuel tanks.
- 8.7 Maintenance and/or repair of fittings, pipes, and hoses shall be conducted monthly and in accordance with the manufacturer's specifications.
- 8.8 Secondary containment, drip trays, or other overflow and drip containment measures shall be installed and maintained at connection points or other possible overflow points.

9.0 WASTE MANAGEMENT

- 9.1 Adhere to the provisions of the Environmental Protection (Litter Enforcement) Regulations, 2013.
- 9.2 Promote proper solid waste management and disposal practices at your facility at all times. Waste shall not be disposed of in or near to the Cuyuni River or any

-

4

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- other waterways. Reduction, recycling and/or reuse of waste shall be promoted at all times.
- **9.3** Ensure that solid waste pits are located at least **one hundred (100) meters** away from any watercourses, or habitation. The waste sites shall be constructed above the ground water table and lined to the floor with an impervious earthen or other material to prevent leaching to ground water.
- **9.4** Maintain good house-keeping, sanitary and hygienic practices and the aesthetic quality of the surroundings at all times.
- **9.5** Ensure that garbage receptacles are placed in strategic locations within the Mine site. Have separate bins to facilitate the collection and sorting of waste according to liquid and solids; organic and inorganic; degradable and non-degradable.
- 9.6 Construct and maintain a septic tank system onsite. Septic Tanks at all times shall be accessible for cleaning and de-sludging. Septic tanks should be installed with a sand and charcoal filter bed, or other appropriate design for further treatment. This must be in accordance with Guyana National Bureau of Standards Code of Practice for the Design and Construction of Septic Tanks and Associated Secondary Treatment and Disposal Systems.
- 9.7 Any modification to the Septic Tank (s) must be in accordance with the Guyana National Bureau of Standards (GNBS) Code of Practice for the Design and Construction of Septic Tanks and Associated Secondary Treatment and Disposal Systems.
- 9.8 Dumping of waste (Domestic and Construction) into the Cuyuni River or any waterways is **prohibited**. Waste should not be stored in close proximity to the afore-mentioned river, inclusive of waste oil and/or fuel.

10.0 AIR QUALITY MANAGEMENT

- 10.1 Adhere to the provisions of the Environmental Protection (Air Quality) Regulations, 2000.
- 10.2 Comply with the World Health Organisation (WHO) Air Quality Guidelines for Particulate Matter in the Environment, not exceeding the limits below:

PM_{2.5}: 10 μ g/m³ annual mean 25 μ g/m³ 24-hour mean

PM₁₀: 20 μ g/m³ annual mean 50 μ g/m³ 24-hour mean



Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- Maintain the vegetative buffer zone at least **two hundred (200) meters** between the Mine Construction activities and other contiguous land uses to buffer noise and fugitive dust emissions.
- 10.4 Limit vehicle speeds on the internal roadways.
- 10.5 Operate and service all mechanical equipment and vehicles in accordance with manufacturer's specifications at all times to minimise atmospheric emissions.

11.0 NOISE MANAGEMENT

- 11.1 Adhere to the provisions of the Environmental Protection (Noise Management) Regulations, 2000.
- 11.2 Comply with the Guidelines for Noise Emissions into the Environment for Guidelines for Noise Emissions into the Environment, not exceeding the limits below at a distance of 15 m (50 ft) from the source or property boundary, whichever is closer.

Industrial Limits **100dB** (Day-time (06:00-18:00 h)) **80 dB** (Night-time (18:00-06:00 h))

- 11.3 As far as practicable equip all sound-making devices, e.g. generators, planers, etc. with silencers or mufflers to reduce noise level and/or enclose all sound-making devices in structures constructed with materials of good insulation properties (e.g. hollow concrete blocks, insulation boards, solid clay bricks, etc.)
- Ensure that all equipment and machinery are placed on foundations properly designed to ensure effective damping of vibrations.
- 11.5 Operate and service all mechanical equipment in accordance with manufacturer's specifications at all times to minimise atmospheric emissions.

12.0 BIODIVERSITY PROTECTION

- **12.1** Identify and avoid sensitive ecological areas within your mining claim.
- 12.2 Undertake construction, including clearing of vegetation at a pace slow enough to ensure that terrestrial animals and aquatic life can move to other locations.
- 12.3 Establish vegetation around production facilities and along access roads to mitigate the impact on terrestrial resources.

de

B

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 12.4 Report all occurrences of illegal wildlife trapping and trading to the EPA and Wildlife Management Authority.
- 12.5 Communicate to employees that the capture, trading and/or removal of endangered and vulnerable wildlife from the project area and surrounding areas is forbidden, in accordance with the **Wildlife Conservation and Management Act, 2016,** and any of its applicable forthcoming Regulations.

13.0 COMPLIANCE MONITORING AND REPORTING

- 13.1 Monitor the implementation of the conditions of this **Environmental Permit** (Interim), insofar as they involve adherence by employees and all third parties under your direction.
- 13.2 Submit Environmental Annual Reports to the EPA on or before March 31 every year on your compliance with this Permit.
 - **13.3** Ensure the reports and records of monitoring include the following:
 - The names of the individuals and designations, who conducted sampling, prepared and compiled the reports;
 - The date, place/location, time, weather conditions, techniques and methods used in sampling;
 - The date the measurements were compiled or analysed and the names of the individuals who compiled the information;
 - Observations, readings, calculations, benchmarks, bench data, the results of analyses;
 - Limitations of the sampling process and all other occurrence at the time of study, which may affect the results;
 - Photographs and drawings of all relevant aspects of the operation; and
 - The state of operation of facilities at the time of measurement, including planned and unplanned shutdowns, production levels and achievement of design capacity, identification of release point, source of release and substances being released.
- 13.4 Comply with any lawful directions given by the EPA from time-to-time in furtherance of the implementation of any international or other obligations for the environmental protection.
- 13.5 Inform the Agency prior to or within **thirty (30) days** of any change of name or ownership of the operation.
- 13.6 Notify the Agency within twenty-one (21) days in event of bankruptcy, liquidation or receivership of the Permit Holder or if the Company becomes a

Je .

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

party to an amalgamation.

- 13.7 Notify the EPA within **forty-five (45) minutes** of the occurrence of any environmental emergencies such as a sudden disaster, accident, natural, technological or human induced factors that cause or threaten to cause severe environmental damage as well as harm to human health or livelihood.
- 13.8 Report to the Agency any non-compliance(s) with the Environmental Permit (Interim):
 - **13.8.1** Within **twenty-four (24) hours** of the time the Holder of the Environmental Permit (Interim) becomes aware of the noncompliance, the anticipated manner in which it may endanger human health or the environment.
 - **13.8.2** Within **seventy-two (72) hours**, submit to the Agency a written report containing a description of the non-compliance, its cause and the period of non-compliance including exact dates and time.
 - **13.8.3** Submit a report to the Agency indicating the reasons and the anticipated time it is expected to continue if the non-compliance has not been corrected.
- 13.9 Implement relevant measures/agreements to avoid conflicts with other land users/communities. Conflicts should be reported to the relevant authorities if they occur.
- **13.10** Inform the **National Trust and Walter Roth Museum** if any artefacts of archaeological and anthropological significance are unearthed during Major Stone Quarry operations.
- 13.11 Submit to the EPA the results of all periodic audits conducted by the GGMC.
- 13.12 Notify the EPA within **forty-five (45) minutes** of any accidental release of contaminants or incidence of pollution into the environment. The Permit Holder shall provide the financial, equipment and technical capacity to adequately respond to any emergency that may occur on site and emergency response shall be immediate.
- **13.13** The Permit Holder shall provide the financial, equipment and technical capacity to adequately respond to any emergency that may occur on site and emergency response shall be immediate.

4

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

14.0 INSTITUTIONAL AUTHORITY/LIABILITIES

- 14.1 The Permit Holder shall be strictly liable for any loss or damage to the environment through any act caused intentionally or recklessly, through the adverse effect of any discharge or release, or cause or permit the entry of pollution, contaminant in any amount, concentration or level in excess of that prescribed by the regulations or stipulated by any environmental authorisation which are attributed to any Project (and more specifically petroleum activities). S. 19(1) EP Act, Cap. 20:05, Laws of Guyana.
- 14.2 The Permit Holder shall comply strictly with section 39 (1), (2), (3) and (4) of the Environmental Protection Act Cap 20:05, Laws of Guyana.
- 14.3 The Permit Holder shall strictly observe section 19 (3) of the Environmental Protection Act Cap 20:05, Laws of Guyana.
- 14.4 The Permit Holder may be liable for environmental damage due to pollution from its activities within Guyana.
- The EPA reserves the right to conduct regular inspections of the Permit Holder's operation as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.
- 14.6 The Permit Holder, His Servants, Agents and/or Sub-Contractor(s) shall, at all times, allow entry to the Permitted facility to any Officer designated by the EPA for the purposes of conducting inspections or any other legitimate business of the Agency. Pursuant to s. 38 of Environmental Protection Act, Cap. 20:05, it is an offence to **assault**, **obstruct or hinder** an authorised person in the execution of his/her duty under the said Act or its Regulations and the Permit Holder be liable to penalties prescribed under paragraph (c) of the Fifth Schedule for doing so.
- 14.7 The EPA reserves the right to review/amend the conditions attached to this Permit, which also includes the review and/or amendment of permit fees in consideration of any changes in fee structure as determined by the Agency for projects of this nature.
- 14.8 The EPA shall have the right to cancel or suspend this Permit for breach of any of the terms and conditions contained herein.
- 14.9 This Environmental Permit (Interim) is not the final consent; all relevant permission shall be obtained from other regulatory bodies for continued operation.

de

4

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 14.10 The Permit Holder shall compensate any Party who suffers any loss of damage as a result of the attributed project. (Part V, s.19 (3) (e) Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- **14.11** The Permit Holder shall be responsible for the payment of all cost related to the assessment of damage and costs for the independent assessor(s).
- **14.12** The Agency (EPA) shall notify the Permit Holder immediately of any written claim or notice sent by any complainant seeking loss or damage for negligence as a result of the Permit Holder lack of due care and diligence.
- 14.13 Should the Permit Holder contravene or is likely to contravene any condition of this Permit, the Agency (EPA) may serve on him an enforcement notice in accordance with s. 26 of the Environmental Protection Act, Cap.20:05, Laws of Guyana.
- 14.14 Where it appears to the Agency (EPA) that the Permit Holder is engaged in any activity that may pose serious threat to natural resources or serious pollution of the environment or any damage to public health, the Permit Holder shall be issued with a Prohibition Notice Order to immediately cease the offending activity in accordance with s. 27 Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- **14.15** Where the Permit Holder in accordance with s. 19(3) is found liable for the contaminant or for the process involving the contaminant or who causes or permits a discharge as aforementioned in relation to above, the Permit Holder shall:
 - Immediately notify the Agency of the discharge;
 - Concentration and amount of contaminant;
 - · Circumstances of the discharge; and
 - What action he/she has taken or intends to take to restore the natural environment; and
 - Be liable to pay for the cost of an independent investigation into the discharge.
- 14.16 The Permit Holder shall be liable of any gross negligence or willful misconduct caused by the Permit Holder, his Servants and/or Agents, to the marine environment, biodiversity, protected species and natural habitat with respect to any release or discharge, spill, contaminant fluids, oil or lubricants from the fuel storage at any facilities permitted under this project.
- 14.17 This Environmental Permit (Interim) is effective for the period stipulated herein May, 2023 to April 2024. This Environmental Permit shall remain valid until

4

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

April 30, 2024 unless otherwise cancelled, suspended, modified or varied in accordance with the provisions of this Permit or the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisation) Regulations, 2000.

- 14.18 This Environmental Permit (Interim) must be renewed by submitting a completed Application Form for Renewal of Environmental Authorization to the Agency at least six months before this Permit expires, that is, no later than November 30, 2023.
- 14.19 Any late submission of renewal application(s) after the specified date as stated above, the agency require the Permit Holder to pay, in addition to the renewal fee, a late penalty fee (accruing at the time such obligation was first owed for renewal) at a rate of two thousand dollars (\$2,000.00) per day for every day late, until such renewal application is submitted to the Agency, without prejudice to any other rights of the Permit Holder in connection therewith.
- 14.20 Failure to comply with the requirements of this Permit shall render the Permit Holder liable to prosecution and to civil penalties and/or injunctive reliefs prescribed under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act 2005, and the Environmental Protection (Authorisations) Regulations 2000, including under any existing and forthcoming regulations made under the said Act or any other applicable Laws of Guyana.

Signed by

Shan fah Lazack
Kemraj Parsram

on behalf of the Environmental Protection Agency

Kemraj Parsram Executive Director

Executive Director

Date:

2023,05.04



I hereby accept the above terms and conditions upon which this Environmental Permit is granted and agree to abide by the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, the Environmental Protection (Authorisations) Regulations, 2000, and any forthcoming regulations, best practices, guidelines and standards made under this Act.

Environmental Permit - Ref. No. 20221220-EHRMI

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

| NAME: | JESUIN PRADEER | KUMAR |
|--------------|----------------|-------|
| SIGNATURE: | | |
| DESIGNATION: | DIRECTOR | |
| DATE: | 8.5.2028 | |