



Government of the Co-operative Republic of Guyana
Environmental Protection Agency



January 28, 2025

Reference No. 20231206-SHSQM

Stuart Hughes
Lot 6 Earle's Avenue, Subryanville,
Georgetown, Guyana.



Dear Mr. Hughes,

Re: Renewal of Environmental Authorisation

The Environmental Protection Agency (EPA) writes to inform you that the Environmental Permit (**Reference # 20231206-SHSQM**) for the operation of a Stone Quarry, located at Block GS23: H-1068/MP/000, at the confluence of Demerara River and the Hikkikabra Creek, Region 10, expires on **June 30, 2025**.

As a result, you are required to submit to the Agency a completed Application for **Renewal of Environmental Authorisation**, attached herein, in accordance with the Environmental Protection (Authorisations) Regulations, 2000, 22 (1) which states: ***"Where a holder of an Environmental Authorisation wishes to continue an activity in respect of which an Authorisation was granted beyond the expiration of an Environmental Authorisation, the holder shall submit an Application for a new Environmental Authorisation to the Agency together with the fee as specified in the Schedule. An Application for a new Environmental Authorisation shall be made at least six months before the expiration of the Environmental Authorisation."***

An **Application Fee of US \$50 dollars** or its equivalent in Guyana dollars using the Bank of Guyana daily exchange rate is required for processing your application.

Please note that operating without a valid Environmental Authorisation constitutes a breach of the Environmental Protection Act, Cap.20:05, Laws of Guyana, which will make you liable to the penalties prescribed, including fines, imprisonment and closure of your operation.

Page 1 of 2

Ganges St., Sophia, Georgetown, GUYANA.

Tel: (592) 225-5467/5471-5472/6044/6048 | Fax: 225-5481



epa@epaguyana.org



www.epaguyana.org



Environmental Protection Agency - Guyana

"The Environment is Everybody's Business"





Government of the Co-operative Republic of Guyana
Environmental Protection Agency



Additionally, as stipulated in **clause 15.2** of your Environmental Permit, you are required to submit an Environmental Annual Report by **March 31, 2025**, for the period 2024 (see attached Guidelines for the preparation of an Environmental Annual Report).

Moreover, in pursuant to Condition **1.1** of your Environmental Permit, please be reminded of the submission of the Environmental Assessment Management Plan (EAMP), which is to be prepared in accordance with the EPA's guidelines and also, the submission of the curriculum vitae of all person(s)/consultant(s) who will be engaged in the preparation of the document.

Should you have any questions or need any clarifications, please do not hesitate to contact with **Mr. Colis Primo, Head-Mining** on telephone number 225-5471 (Ext. 2312) or email cprimo@epaguyana.org.

Yours sincerely,


Colis Primo
Head-Mining

Attached – Application Form for the Renewal of Environmental Authorisation,
Guidelines for the preparation of Environmental Annual Report
Guidelines for preparation of an Environment Assessment and Management Plan

Page 2 of 2

Ganges St., Sophia, Georgetown, GUYANA.

Tel: (592) 225-5467/5471-5472/6044/6048 | Fax: 225-5481



epa@epaguyana.org



www.epaguyana.org



Environmental Protection Agency - Guyana

"The Environment is Everybody's Business"



**Environmental
Protection
Agency**

Ganges Streets, Sophia,
Georgetown, GUYANA
Tel.: (592)-225-0506
Fax: (592) – 225- 5481
Email: epa@epaguyana.org
Website: <http://www.epaguyana.org>

Environmental Permit

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

Reference No.:	20231206-SHSQM
Fee:	Large (C3) – US\$2,500 per year
Fee Paid:	US \$ 2,500 (July, 2024 to June, 2025) - One (1) year
Addressee:	Mr. Stuart Hughes Lot 6 Earle's Avenue, Subryanville, Georgetown, Guyana
Activity:	Construction and Operation of a Stone Quarry

Stuart Hughes, hereinafter referred to as the “Permit Holder”, is hereby authorised in accordance with the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, to construct and operate a Stone Quarry located at GS23: H-1068/MP/000, at the confluence of Demerara River and the Hikkikabra Creek, Region 10, hereinafter referred to as the “Project”, in the manner indicated in the Application for Environmental Authorisation submitted on December 05, 2023, and subject to the terms and conditions set forth herein under the Environmental Protection Act, Cap.20:05, existing and/or forthcoming Regulations made under the said Act, and/or any other applicable laws, best practices, guidelines and standards relevant to this project.

The Permit Holder, His Servants, Agents and Sub-Contractor shall comply with the following Terms and Conditions for Operation:

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

1.0 GENERAL

- 1.1 Submit to the EPA an Environmental Assessment and Management Plan (EAMP) within the first **three (3) months** of the date that this Permit is issued, unless otherwise stated by the EPA. The EAMP shall include but not be limited to any potential environmental impacts, human risks and feasible cost-effective measures to mitigate impacts so as to manage/reduce potential environmental impacts to biodiversity, water quality, air quality, and soil degradation to an acceptable level and any other consideration as required by the Agency.
- 1.2 The Environmental Assessment and Management Plan (EAMP) required under **subsection 1.1** will inform the revision and updating of applicable conditions as set forth below and inclusion of any other conditions as the Agency sees fit, to ensure the protection of the environment and prevention or mitigation of pollution/contamination.
- 1.3 Make an application to the Agency to vary this Environmental Permit in instances where it becomes necessary to:
 - i. Change the construction, operation, structure, or layout of the facility and all associated buildings;
 - ii. Change equipment, machine, apparatus, mechanism, system or technology serving the facility;
 - iii. Change the position and design of any outlet at the point or points of discharge of effluents; or effect any other change outlined in 20(3) of the Environmental Protection (Authorisations) Regulations.
- 1.4 Ensure all mining activities are conducted within the boundaries more fully described in the 'Notice of Intention to Grant Mining Permit', bearing the **Reference Number Block number: GS23: H-1068/MP/000/2023**, at the confluence of the Demerara River and the Hikkikabra Creek, Potaro Mining District No.2 issued by the Guyana Geology and Mines Commission (GGMC) and published in the Official Gazette of Guyana dated May 25, 2023.
- 1.5 Any other developmental activities which may significantly affect the environment apart from the activities covered by this Permit (Mine Site Construction, Drilling & Blasting, Excavation, Processing and Storage of "**Quarriable materials**") are **strictly prohibited** without prior approval from the EPA.
- 1.6 Install and maintain proper signage and security measures to keep unauthorised persons from accessing restricted and high-risk areas within boundaries more fully described in the 'Notice of Intention to Grant Mining Permit' published on May 25, 2023.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 1.7 Adhere to the stipulations within the **Mining Act, No. 20 of 1989, the Mining Regulations including the Mining (Amendment) Regulations, 2005, the Explosives Act, Cap 16:06, the Blasting Operations Act, Cap 65:03, and Regulations of the Maritime Administration Department of the Ministry of Public Infrastructure.**
- 1.8 Ensure that transportation of equipment and quarry material to and from the project site does not encumber road/river traffic and becomes a nuisance to the general public.
- 1.9 Submit to the Agency within two (2) weeks of receipt the approved Mining License from the Guyana Geology and Mines Commission (GGMC).

2 CONSTRUCTION AND DEVELOPMENT

- 2.1 Limit cleared areas to those identified within the mine plan for ore recovery, infrastructure development, waste and stockpiles areas, etc. In instances where proposed areas have previously been cleared, a record of clearance should be maintained and submitted within the Project Annual report.
- 2.2 Utilise the land in accordance with the site plan submitted to the Agency. All specifications of location, pathways, reserve and boundary lines must be adhered to unless otherwise authorised.
- 2.3 Construct and maintain a good drainage system at all construction areas and ensure the land is levelled and appropriately built up to avoid floods and contamination of any receiving surface water bodies.
- 2.4 Ensure the control of all electrical installations, removal, repairs, or modifications, on the construction site, is designated to a certified and competent electrician at all times and is authorised in writing by the Company.
- 2.5 Ensure that all workers and visitors on the construction site (s) undergo health and safety induction pertaining to the hazards prevalent on the site, and persons are equipped with the necessary personal protective equipment.
- 2.6 Avoid erosion, siltation and sedimentation of any receiving surface water bodies within and around the vicinity of the project site during both the construction and operation of the Quarry Site and other supporting infrastructures.
- 2.7 Completely cover or enclose all transported construction material in a manner that prevents the material from blowing, dropping, sifting, leaking, or otherwise escaping from the vehicle.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

3.0 OCCUPATIONAL HEALTH AND SAFETY

- 3.1 Adhere to the requirements of **the Occupational Safety and Health Act, Cap. 99:01, Laws of Guyana.**
- 3.2 Institute a transparent and accessible grievance mechanism for employees to relate and address any work-related concerns or problems which may arise and affect the well-being or performance of the workers.
- 3.3 Employ a Health, Safety and Environmental Officer (s) or qualified person (s) to be responsible for the implementation of the Company's Environmental Assessment and Management Plan (EAMP) and the terms and conditions of this Environmental Permit and any other policy document that would be developed and implemented by your establishment.
- 3.4 Provide employees with training on good environmental management practices, occupational health and safety and their obligations under this Permit, on a regular basis.
- 3.5 Prepare and maintain a training file for all employees and third-party contractors, which shall be available upon Officers' request and submitted with the Annual Report to the EPA.
- 3.6 Employees shall at all times be well protected and equipped with Personal Protective Equipment relevant to the occupational tasks during operation. These Personal Protective Equipment (PPE) must include but not be limited to:
 - I. Safety helmets;
 - II. Protective respiratory devices
 - III. Safety boots with ankle support;
 - IV. Gloves with reinforced palms and fingers; and
 - V. Tightly fitted safety goggles.
- 3.7 Prepare and maintain an employee log of distribution of Personal Protective Equipment (PPE).
- 3.8 Provide well-equipped first aid and snake bite kits at the Work Site.
- 3.9 Ensure that communication and transportation systems are in place to respond to emergencies.
- 3.10 Provide and maintain adequate fire protection measures, in accordance with guidelines established by the Guyana Fire Service.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

4.0 VEGETATION CLEARING AND TOP SOIL STRIPPING

- 4.1 Maintain natural vegetative cover as far as practical, especially in the vicinity of steep slopes occurring at the project site and re-vegetate areas from which vegetation was removed.
- 4.2 Storage of topsoil (overburden) within **three (3) meters** of natural vegetation or mine face is strictly prohibited. Topsoil and vegetation must be carefully stripped and stockpiled in an allocated area marked by a sign so that it can be used for reclamation and re-vegetation as mining finishes.
- 4.3 Practice alternative methods of vegetation clearing rather than burning, such as manual or mechanical felling or bulldozing.
- 4.4 Incorporate and store vegetative debris with topsoil to keep it active for reuse in site reclamation. In addition, practical measures, such as growing vegetation, including shrubs and grasses, on stockpiles of topsoil shall be employed to reduce erosion, and dust nuisance to surrounding ecosystems.
- 4.5 Store overburden stockpiles at least **two hundred (200) meters** away from any water courses or drainage system.
- 4.6 Runoff from this overburden shall be directed to the sedimentation/settling pond for treatment before discharge.
- 4.7 Maintain the integrity of areas where riparian vegetation is located to aid in mitigating erosion/sedimentation impacts at the site.
- 4.8 Consider the weather pattern before initiating major earthworks. Monitor areas of exposed soil during periods of heavy rainfall.
- 4.9 Avoid soil compaction, erosion, rutting, siltation and sedimentation during operation by limiting the size of the disturbed area, slope length and gradient, and the duration of soil exposure.
- 4.10 Adequately cover temporary stockpiles of construction materials, and excavated waste in a designated area to prevent accidental release into any receiving surface water bodies, especially in rainy conditions. The designated area should not be placed within **ten (10) meters** of any surface water bodies.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

5.0 PRODUCTION DRILLING AND BLASTING

- 5.1 Submit a detailed **Drilling and Blasting Plan** that is approved by the Guyana Geology and Mines Commission (GGMC) before blasting activities commence on the concession.
- 5.2 Adhere to the protocols outlined in the Drilling and Blast Plan; any modification of the said Plan must be approved by the GGMC and submitted to the Agency within **two (2) weeks** from date of approval.
- 5.3 Employ a drilling and blasting supervisor, who is certified and licensed by the Guyana Geology and Mines Commission (GGMC).
- 5.4 Usage, storage, transport, handling, and general management of explosives shall be done in accordance with relevant laws and regulations including the **Explosives Act, 1989**, and subsequent amendments and the requirements of the Guyana Geology and Mines Commission and the Guyana Police Force.
- 5.5 Ensure the appropriate blast design parameters are in place prior to the actual blasting. Attain minimum ground vibration by the utilization of:
 - I. Appropriate delay intervals for charge ignition;
 - II. Appropriate pattern;
 - III. Orientation of blast holes; and
 - IV. Confinement of the charge.
- 5.6 Avoid secondary blasting as much as possible, rather, the utilization of hydraulic hammer fixed to an excavator should be considered.
- 5.7 Review blast design when necessary to ensure the size of the Maximum Instantaneous Charges (MICs), detonating sequence and that the correct stemming is in place.
- 5.8 Utilise deck charges to reduce ground vibrations.
- 5.9 Evacuate and guard all sites before shots are fired. A distinctive **audible warning signal** must be given before firing and at the all-clear, and notify nearby communities and homesteads of blasting times.
- 5.10 After the firing of Blast pattern, a Post Blast inspection must be conducted by a Certified Blaster/Shotfirer to identify any potential hazards or evidence of a misfire and/or the associated corrective action required to make the area safe before an "ALL Clear" is given prior to personnel and/or equipment being allowed back into the blast radius.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 5.11 Blast Pattern should be allowed a “Post Blast Fume Dispersion” time of **30-40 minutes** to allow prevailing winds or air currents enough time to readily dilute and dissipate to the atmosphere any gases generated in open pit blasting before the re-entry of personnel to this area.
- 5.12 After entering the Blast Radius, any person experiencing sudden acute effects of coughing, shortness of breath or irritation of the mucous membranes of the eyes, nose or throat following post-blast Nitric Oxide (NO_x) events must be examined by a medical practitioner without delay, even if no NO_x smell was noticed or symptoms are mild.

6.0 CRUSHING PLANT

- 6.1 Ensure that the crushing plant and ancillary equipment are operated in strict compliance with the manufacturer’s specifications.
- 6.2 Implement well-designed sprinklers located at strategic points to contain/reduce the level of fugitive dust being emitted into the environment.
- 6.3 The unloading area of crushers and conveyor belts are to be enclosed and provided with a dust suppression system.
- 6.4 Ensure at all times crushing equipment is secured to a reinforced base so as to reduce the level of vibration and noise emitted from this equipment.

7.0 ROADS AND BRIDGES

- 7.1 Ensure that the running surface of used roads are crowned with a compacted layer and with good drainage on both sides to catch and direct water to the local drainage system.
- 7.2 Soil erosion shall be minimised by but not limited to constructing sloped roads and turnout drains at regular intervals, filling in ruts and holes that develop during road/trail use with suitable materials such as compacted fill and crush and run, etc.
- 7.3 Submit as part of the EAMP a road traffic plan that should include but not be limited to the capacity of trucks and frequency of materials being transported and measures to curb potential impacts.
- 7.4 Equip all trucks, mechanical machineries and vehicles with the necessary reflecting signage to warn the public of impending danger of parked/moving trucks with construction materials on the public thoroughfare.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 7.5 Install adequate and appropriate road signage with provisions for safe line of sight along all access roads and tracks. Signs shall inform users of dangerous bends, crossing of haul trucks, vehicle speed limits, etc.
- 7.6 Operate and maintain roads, drainage ditches, culverts and/or berms, etc. in a manner that results in minimal impact on public health and the environment.
- 7.7 Ensure all bridges are designed and constructed under the supervision of a suitability qualified person. Bridges must also have the capacity to withstand the transportation of Quarriable materials and equipment.
- 7.8 Implement suitable measures to impede the flow of effluent runoff and sediments into the surface water body being bridged.
- 7.9 Bridges should at no time restrict the free flow of water within the surface water body.

8.0 WATER QUALITY MANAGEMENT

- 8.1 Adhere to the provisions of the **Environmental Protection (Water Quality) Regulations, 2000.**
- 8.2 Maintain the integrity of the existing waterways at all times. Discharges from sediment ponds or the operation into any receiving surface water bodies should be in accordance with the Guyana National Bureau of Standards Interim *Guidelines for Industrial Effluent Discharge into the Environment* (IFC), US EPA and World Bank Water Quality Standards. The following maximum allowable limits should not be exceeded:

Parameter(s)	Maximum Allowable Limits	Frequency of Monitoring
pH	5.0 – 9.0	Bi- Annual
Temperature	<40°C	Bi- Annual
Biological Oxygen Demand (BOD)	<50 mg/L	Bi- Annual
Chemical Oxygen Demand (COD)	< 250 mg/L	Bi- Annual
Total Suspended Solids (TSS)	<50 mg/L	Bi- Annual
Oil and Grease (O&G)	<10 mg/L	Bi- Annual
Turbidity (NTU)	<50mg/L	Bi- Annual
Total coliform	< 400MPN/100mls	Bi- Annual
N as NH ₃	<10mg/L	Bi- Annual

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 8.3 Conduct biannual monitoring of water quality for the parameters specified in Condition 8.2 for any surface water body within the project site potentially impacted by operations. This monitoring should occur, (once in the wet season and once in the dry season). Grab samples should be obtained from the following sample points:
- a) At the point of discharge from the quarry into sediment pond;
 - b) **Fifteen (15) meters** Upstream of sediment pond discharge point; and
 - c) **Fifteen (15) meters** Downstream of sediment pond discharge point.
- 8.4 Ensure that sediment control structures such as soak ways, settlement/water detention ponds and silt fences are implemented at the site(s) to prevent the direct inflow of sediments to surface water.
- 8.5 Ensure that waste/spoil piles are surrounded by perimeter berms to manage discharges of sediment; all runoff from this area shall be directed to a settling pond.
- 8.6 Ensure erosion susceptible areas are sloped, benched or lined with erosion control structures to manage surface runoff.
- 8.7 Establish and maintain a vegetative **two hundred (200) meters** buffer zone between the rock deposit and the Demerara River to reduce erosion.
- 8.8 Construct and maintain a good drainage system capable of handling the probable maximum precipitation storm event at all facilities. Stormwater discharge should be directed into appropriately designed sediment ponds before being discharged into surrounding waterways.
- 8.9 Maintain the settling ponds at the project site. The pond should allow for maximum retention time of wastewater to allow for the settling of suspended solids and natural degradation of possible contaminants prior to water being released to the natural environment.
- 8.10 Silt fences should be installed at discharge points of drainage systems to reduce the sediment loads entering sediment ponds.
- 8.11 As far as possible, divert surface water runoff from higher mine benches to prevent it from reaching lower workings. Where possible, strategically place low permeability materials to restrict water flow into mining areas.
- 8.12 As far as possible, implement practical measures to prevent pollution of any receiving surface water bodies. Domestic wastewater shall not be discharged directly into watercourses. Install a filter treatment system at the domestic water discharge point for further treatment before discharge.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

HAZARDOUS WASTE MANAGEMENT

- 9.1 Adhere to the provisions of the **Environmental Protection (Hazardous Waste Management) Regulations, 2000**, and the stipulations within the **Pesticides and Toxic Chemicals Act, No. 13 of 2000**, the Pesticides and Toxic Chemicals Regulations, No. 8 of 2004, the Pesticides and Toxic Chemicals (Amendment) Regulations, No. 8 of 2007.
- 9.2 All hazardous waste shall be stored in a covered, bunded area. This area shall include the following:
- (a) Signage- "Hazardous Waste Storage Area";
 - (b) Low traffic;
 - (c) No floor drains; and
 - (d) Secondary containment capable of containing 110% of the largest volume therein.
- 9.3 The Hazardous Material Storage areas shall be clearly labelled, secured and well-illuminated when not in use. The following warning signs shall be clearly posted:
- (a) Danger- Chemical Storage Area "Authorized Personnel Only";
 - (b) Read and Follow all label directions;
 - (c) No Smoking; and
 - (d) No Eating or Drinking.
- 9.4 Establish and maintain a register of hazardous materials or chemicals used or generated by the operation. Submit to the Agency, twice yearly (June and December), a report on hazardous waste generation and management for the previous six months using the most recent version of the EPA's Recording and Reporting Form of Hazardous Waste and including:
- The name, location and type of facility;
 - Types and quantities (in metric units) of hazardous waste generated;
 - Manner of storage, use, any applied treatment standards/methods and disposal of these substances;
 - Data concerning off-site shipments of waste, i.e. local disposal facility utilized, country to which hazardous waste is shipped, purpose of shipment and amount of waste shipped;
 - A summary of any accidents that may have occurred and any action taken;
 - Any waste minimization efforts undertaken by your facility for hazardous material/waste; and
 - Any other matter the Agency may require.

The Agency considers all materials listed in Schedule I and II of the Environmental Protection (Hazardous Wastes Management) Regulations, 2000, to be hazardous. (Please see attached list.)

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 9.5 (a) Collect and store waste oils, used batteries, used tires and any other hazardous waste on site until ready for disposal in a manner approved by the EPA.
- (b) Refrain from draining fuel/lubricants, including waste oils of any quantity from equipment on to the ground and waterways.
- 9.6 Contain all chemicals securely and conform to the safety conditions as outlined in the Material Safety Data Sheet for each chemical. Keep all chemicals in well-sealed and individually labelled containers and properly store in an impervious and well-ventilated room/bond.
- 9.7 Safety Data Sheets for all hazardous materials shall be readily available and easily accessible at all times at the Facility.
- 9.8 Take the necessary precautionary measures during the transport, transfer, use and handling of all hazardous material.
- 9.9 Implement a programme to ensure regular and preventative maintenance of machinery and equipment to prevent leaks and minimize air emissions and hydrocarbon releases.
- 9.10 Do not service vehicles in mining pits except in instances of emergency repairs.
- 9.11 Maintain emergency spill cleanup kits on-site for response to spills.
- 9.12 A fully stocked first-aid kit shall be readily available at the hazardous storage Facility.
- 9.13 Material storage containers shall be inspected weekly for signs of leakage or corrosion and damaged containers must be replaced immediately. Inspection Reports must be maintained and signed by the appropriately qualified inspecting officer and his/her supervisor.
- 9.14 Elevate all waste oil/ chemical tanks and containers so that leaks are easily identifiable.
- 9.15 Store all lubricants, coolants, acid-generating materials, waste oil and any material contaminated with hydrocarbons such as used filters and oily rags in an approved manner, such as in drums or surface tanks with impervious bunds to contain spillage. Ensure that the areas assigned for storage of the aforementioned materials are located away from operating areas, drainage lines and major waterways.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

10.0 FUEL HANDLING AND STORAGE

- 10.1 Fuel shall at all times be stored above ground, in a cool, dry place and away from ignition sources. Adequate signs such as 'No Smoking' 'Flammable Materials', etc. shall be posted where fuel is handled or stored.
- 10.2 Construct and maintain an impervious secondary containment wall around fuel storage tanks, creating a temporary holding area in the event of accidental spillage. The containment wall for areas with multiple tanks must have the capacity to provide at least 110% containment of the largest tank. The containment wall for areas with solitary tanks must have the capacity to provide 110% containment of each fuel tank.
- 10.3 Secondary containment around the fuel tanks shall be inspected monthly for cracks and breakage to ensure they are liquid tight to withstand hydrostatic pressure.
- 10.4 All piping must enter or exit the containment over the wall and no part of the tank infrastructure (e.g., dispenser, filling hoses and valves) shall protrude outside the containment.
- 10.5 Protection measures for fuel storage tanks such as painting and coating shall be maintained to minimize corrosion of fuel tanks.
- 10.6 Maintenance and/or repair of fittings, pipes and hoses shall be conducted monthly and in accordance with the manufacturer's specifications. A summarised inspection report shall be compiled and submitted to the Agency as part of the Annual Report required by **Condition 15.2**.
- 10.7 Secondary containment, drip trays or other overflow and drip containment measures shall be installed and maintained at connection points or other possible overflow points.
- 10.8 Leak detection systems shall be installed on all fuel tanks. At least two (2) of the following measures shall be implemented:
 - (a) Overflow alarms on tanks;
 - (b) Gauging system;
 - (c) Dipstick measurements;
 - (d) Sensors on walls of tanks; or
 - (e) Electric Shutdown Valve.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

11.0 WASTE MANAGEMENT

- 11.1 Adhere to the provisions of the **Environmental Protection (Litter Enforcement) Regulations, 2013.**
- 11.2 Promote proper solid waste management and disposal practices at your facility at all times. Waste shall not be disposed of in or near any receiving surface water bodies.
- 11.3 Reduction, recycling and/or reuse of waste shall be promoted at all times.
- 11.4 Ensure that solid waste pits are located at least **one hundred (100) meters** away from any watercourses, or habitation. The waste sites shall be constructed above the groundwater table and lined to the floor with an impervious earthen or other material to prevent leaching to groundwater.
- 11.5 Maintain good housekeeping, sanitary and hygienic practices and the aesthetic quality of the surroundings at all times.
- 11.6 Ensure that garbage receptacles are placed in strategic locations within the Mine site. Have separate bins to facilitate the collection and sorting of waste according to liquid and solids; organic and inorganic; degradable and non-degradable.
- 11.7 Construct and maintain new or existing pit latrine(s) in accordance with the Guyana Bureau of Standard (GNBS) Code of Practice for the Design and Construction of Ventilated Improved Pit Latrines.
- 11.8 Construct and maintain a septic tank system onsite. Septic Tanks at all times shall be accessible for cleaning and de-sludging. Septic tanks should be installed with a sand and charcoal filter bed, or other appropriate design for further treatment. This must be in accordance with the *Guyana National Bureau of Standards Code of Practice for the Design and Construction of Septic Tanks and Associated Secondary Treatment and Disposal Systems.*
- 11.9 Any modification to the Septic Tank (s) must be in accordance with the *Guyana National Bureau of Standards (GNBS) Code of Practice for the Design and Construction of Septic Tanks and Associated Secondary Treatment and Disposal Systems.*
- 11.10 Dumping of waste (Domestic and Construction) into any receiving surface water bodies is **prohibited**. Waste should not be stored in close proximity to these waterbodies, this is inclusive of waste oil and/or fuel.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

12.0 AIR QUALITY MANAGEMENT

- 12.1 Adhere to the provisions of the **Environmental Protection (Air Quality) Regulations, 2000.**
- 12.2 Comply with the *World Health Organisation (WHO) Air Quality Guidelines for Particulate Matter in the Environment*, not exceeding the limits below:
- PM_{2.5}:** 10 µg/m³ annual mean
25 µg/m³ 24-hour mean
- PM₁₀:** 20 µg/m³ annual mean
50 µg/m³ 24-hour mean
- 12.3 Respond to equipment malfunction or **inefficiencies** which may result in visible emissions to air. In the event of malfunction leading to abnormal emissions the operator shall:
- a) investigate and undertake remedial action **immediately**;
 - b) adjust the process or activity to minimise those emissions; and
 - c) record the events and actions taken.
- 12.4 Establish and maintain the vegetative buffer zone at least **two hundred (200) meters** between the Quarry and other contiguous land uses to buffer noise and fugitive dust emissions.
- 12.5 Ensure measures are taken to avoid or reduce dust pollution from the mines and the road. Dust suppressants i.e., water soaking etc. shall be used during the dry season and as necessary.
- 12.6 Install enclosures and dust suppression systems on the mobile and fixed crushing plant, screening plant and other equipment.
- 12.7 Ensure that external conveyors to/from the plant are affixed with covers.
- 12.8 Limit vehicle speeds on the internal roadways.
- 12.9 As far as possible, site and orient stockpiles and storage areas to reduce wind exposure.
- 12.10 Operate and service all mechanical equipment and vehicles in accordance with manufacturer's specifications at all times to minimise atmospheric emissions.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

13.0 NOISE MANAGEMENT

- 13.1 Adhere to the provisions of the **Environmental Protection (Noise Management) Regulations, 2000.**
- 13.2 Comply with the *Guidelines for Noise Emissions into the Environment* for *Guidelines for Noise Emissions into the Environment*, not exceeding the limits below at a distance of **fifteen (15) meters** from the source or property boundary, whichever is closer.

Industrial Limits **100dB** (Day-time (06:00-18:00 h))
80 dB (Night-time (18:00-06:00 h))

- 13.3 As far as practicable, equip all sound-making devices, e.g. generators, planers, etc. with silencers or mufflers to reduce noise level and/or enclose all sound making devices in structures constructed with materials of good insulation properties (e.g. hollow concrete blocks, insulation boards, solid clay bricks, etc.)
- 13.4 Ensure that all equipment and machinery are placed on foundations properly designed to ensure effective damping of vibrations.
- 13.5 Operate and service all mechanical equipment in accordance with manufacturer's specifications at all times to minimise atmospheric emissions.

14.0 BIODIVERSITY PROTECTION

- 14.1 Identify and avoid sensitive ecological areas within your mining claim.
- 14.2 Undertake construction, including clearing of vegetation at a pace slow enough to ensure that terrestrial animals and aquatic life can move to other locations.
- 14.3 Avoid blasting/intense construction activities during sensitive biodiversity seasons of the year as advised by the Guyana Wildlife Conservation and Management Commission.
- 14.4 Establish vegetation around production facilities and along access roads to mitigate the impact on terrestrial resources.
- 14.5 Conduct and record visual observances of aquatic and terrestrial biodiversity daily, submit reports as a component of the Environmental Annual Report required in **condition 15.2.**
- 14.6 Report all occurrences of illegal wildlife trapping and trading to the EPA and Guyana Wildlife Conservation and Management Commission.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 14.7 Communicate to employees that the capture, trading and/or removal of endangered and vulnerable wildlife from the project area and surrounding areas is forbidden, in accordance with the **Wildlife Conservation and Management Act, 2016**, and any of its applicable forthcoming Regulations.

15.0 COMPLIANCE MONITORING AND REPORTING

- 15.1 Monitor the implementation of the conditions of this **Environmental Permit**, insofar as they involve adherence by employees and all third parties under your direction.
- 15.2 Submit **Environmental Annual Reports** to the EPA on or before **March 31** every year on your compliance with this Permit.
- 15.3 Ensure the reports and records of monitoring include the following:
- The names of the individuals and designations, who conducted sampling, prepared and compiled the reports;
 - The date, place/location, time, weather conditions, techniques and methods used in sampling;
 - The date the measurements were compiled or analysed and the names of the individuals who compiled the information;
 - Observations, readings, calculations, benchmarks, bench data, the results of analyses;
 - Limitations of the sampling process and all other occurrence at the time of study, which may affect the results;
 - Photographs and drawings of all relevant aspects of the operation; and
 - The state of operation of facilities at the time of measurement, including planned and unplanned shutdowns, production levels and achievement of design capacity, identification of release point, source of release and substances being released.
- 15.4 Comply with any lawful directions given by the EPA from time-to-time in furtherance of the implementation of any international or other obligations for environmental protection.
- 15.5 Inform the Agency prior to or within **thirty (30) days** of any change of name or ownership of the operation.
- 15.6 Notify the Agency within **twenty-one (21) days** in event of bankruptcy, liquidation or receivership of the Permit Holder or if the Company becomes a party to an amalgamation.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 15.7 Notify the EPA within **forty-five (45) minutes** of the occurrence of any environmental emergencies such as a sudden disaster, accident, natural, technological or human induced factors that cause or threaten to cause severe environmental damage as well as harm to human health or livelihood.
- 15.8 Report to the Agency any non-compliance(s) with the **Environmental Permit**:
- 15.8.1 Within **twenty-four (24) hours** of the time the Holder of the Operation Permit becomes aware of the non-compliance, the anticipated manner in which it may endanger human health or the environment.
 - 15.8.2 Within **seventy-two (72) hours**, submit to the Agency a written report containing a description of the non-compliance, its cause and the period of non-compliance including exact dates and time.
 - 15.8.3 Submit a report to the Agency indicating the reasons and the anticipated time it is expected to continue if the non-compliance has not been corrected.
- 15.9 Implement relevant measures/agreements to avoid conflicts with other land users/communities. Conflicts should be reported to the relevant authorities if they occur.
- 15.10 Inform the **National Trust and Walter Roth Museum** if any artefacts of archaeological and anthropological significance are unearthed during the Stone Quarry operations.
- 15.11 Submit to the EPA the results of all periodic audits conducted by the GGMC.
- 15.12 Notify the EPA within **forty-five (45) minutes** of any accidental release of contaminants or incidence of pollution into the environment. The Permit Holder shall provide the financial, equipment and technical capacity to adequately respond to any emergency that may occur on site and emergency response shall be immediate.
- 15.13 Submit to the Agency a detailed **Project Closure Plan** for approval **two (2) years** prior to closure. Thereafter, the closure plan will be updated and reviewed at a frequency agreed to with the Agency, as needed.
- 15.14 The Permit Holder shall provide the financial, equipment and technical capacity to adequately respond to any emergency that may occur on-site and emergency response shall be immediate.

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

16.0 INSTITUTIONAL AUTHORITY/LIABILITIES

- 16.1 The Permit Holder shall be strictly liable for any loss or damage to the environment through any act caused intentionally or recklessly, through the adverse effect of any discharge or release, or cause or permit the entry of pollution, contaminant in any amount, concentration or level in excess of that prescribed by the regulations or stipulated by any environmental authorisation which are attributed to any Project (and more specifically petroleum activities). S. 19(1) EP Act, Cap. 20:05, Laws of Guyana.
- 16.2 The Permit Holder shall comply strictly with section 39 (1), (2), (3) and (4) of the Environmental Protection Act Cap 20:05, Laws of Guyana.
- 16.3 The Permit Holder shall strictly observe section 19 (3) of the Environmental Protection Act Cap 20:05, Laws of Guyana.
- 16.4 The Permit Holder may be liable for environmental damage due to pollution from its activities within Guyana.
- 16.5 The EPA reserves the right to conduct regular inspections of the Permit Holder's operation as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.
- 16.6 The Permit Holder, His Servants, Agents and/or Sub-Contractor(s) shall, at all times, allow entry to the Permitted facility to any Officer designated by the EPA for the purposes of conducting inspections or any other legitimate business of the Agency. Pursuant to s. 38 of Environmental Protection Act, Cap. 20:05, it is an offence to **assault, obstruct or hinder** an authorised person in the execution of his/her duty under the said Act or its Regulations and the Permit Holder be liable to penalties prescribed under paragraph (c) of the Fifth Schedule for doing so.
- 16.7 The EPA reserves the right to review/amend the conditions attached to this Permit, which also includes the review and/or amendment of permit fees in consideration of any changes in fee structure as determined by the Agency for projects of this nature.
- 16.8 The EPA shall have the right to cancel or suspend this Permit for breach of any of the terms and conditions contained herein.
- 16.9 This Environmental Permit is not the final consent; all relevant permission shall be obtained from other regulatory bodies for continued operation.
- 16.10 The Permit Holder shall compensate any Party who suffers any loss of damage

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.


as a result of the attributed project. (Part V, s.19 (3) (e) Environmental Protection Act, Cap. 20:05, Laws of Guyana.

- 16.11 The Permit Holder shall be responsible for the payment of all costs related to the assessment of damage and costs for the independent assessor(s).
- 16.12 The Agency (EPA) shall notify the Permit Holder immediately of any written claim or notice sent by any complainant seeking loss or damage for negligence as a result of the Permit Holder's lack of due care and diligence.
- 16.13 Should the Permit Holder contravene or is likely to contravene any condition of this Permit, the Agency (EPA) may serve on him an enforcement notice in accordance with s. 26 of the Environmental Protection Act, Cap.20:05, Laws of Guyana.
- 16.14 Where it appears to the Agency (EPA) that the Permit Holder is engaged in any activity that may pose serious threat to natural resources or serious pollution of the environment or any damage to public health, the Permit Holder shall be issued with a Prohibition Notice Order to immediately cease the offending activity in accordance with s. 27 Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 16.15 Where the Permit Holder in accordance with s. 19(3) is found liable for the contaminant or for the process involving the contaminant or who causes or permits a discharge as aforementioned in relation to above, the Permit Holder shall:
- Immediately notify the Agency of the discharge;
 - Concentration and amount of contaminant;
 - Circumstances of the discharge; and
 - What action he/she has taken or intends to take to restore the natural environment; and
 - Be liable to pay for the cost of an independent investigation into the discharge.
- 16.16 The Permit Holder shall be liable of any gross negligence or willful misconduct caused by the Permit Holder, his Servants and/or Agents, to the marine environment, biodiversity, protected species and natural habitat with respect to any release or discharge, spill, contaminant fluids, oil or lubricants from the fuel storage at any facilities permitted under this project.
- 16.17 This Environmental Permit is effective for the period stipulated herein **July, 2024 to June, 2025**. This Environmental Permit shall remain valid until **June 30, 2025 unless** otherwise cancelled, suspended, modified or varied in

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- accordance with the provisions of this Permit or the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisation) Regulations, 2000.
- 16.18 This Environmental Permit must be renewed by submitting a completed *Application Form for Renewal of Environmental Authorization* to the Agency at least six months before this Permit expires, that is, no later than **December 30, 2024**.
- 16.19 Any late submission of renewal application(s) after the specified date as stated above, the agency requires the Permit Holder to pay, in addition to the renewal fee, a late penalty fee (accruing at the time such obligation was first owed for renewal) at a rate of **two thousand dollars (\$2,000.00) per day for every day late**, until such renewal application is submitted to the Agency, without prejudice to any other rights of the Permit Holder in connection therewith.
- 16.20 Failure to comply with the requirements of this Permit shall render the Permit Holder liable to prosecution and to civil penalties and/or injunctive reliefs prescribed under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act 2005, and the Environmental Protection (Authorisations) Regulations 2000, including under any existing and forthcoming regulations made under the said Act or any other applicable Laws of Guyana.


Signed by  on behalf of the Environmental Protection Agency
Kemraj Parsram
Executive Director
Executive Director

Date: 24.7.2024

Environmental Permit - Ref. No. 20231206-SHSQM

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

I hereby accept the above terms and conditions upon which this Environmental Permit is granted and agree to abide by the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, the Environmental Protection (Authorisations) Regulations, 2000, and any forthcoming regulations, best practices, guidelines and standards made under this Act.

NAME:	Stuart E. B. Hughes
SIGNATURE:	
DESIGNATION:	OWNER
DATE:	19 th August, 2024



Page
11

Kate 210.45



Environmental Protection Agency

Head Office - Ganges Street, Sophia, Georgetown, Guyana.
Tel (592) 225-6048/44 225-5471/67 Fax: (592) 225-5481
Branch Office - Berbice (Whim, Corentyne) - Tel (592) 337-2201/2207
Linden (LEN Building, Mackenzie) - Tel (592) 444-2313

File Copy

Date: 06/08/19

No. 28760


Received From: Stuart Emerson Brian Hughes

The Sum of: Fifty Dollars

\$ 50

For: Balance from Rec # 28748 dd. 2024.08.15 for Environmental

PAID	Cash <input checked="" type="checkbox"/>	Cheques <input type="checkbox"/>	Wire Transfer <input type="checkbox"/>	Balance due	Amt. \$
------	--	----------------------------------	--	-------------	---------



Signature: [Signature]

CB Wire DD. 2024.08.14



Environmental Protection Agency

Head Office - Ganges Street, Sophia, Georgetown, Guyana.
Tel (592) 225-6048/44 225-5471/67 Fax: (592) 225-5481
Branch Office - Berbice (Whim, Corentyne) - Tel (592) 337-2201/2207
Linden (LEN Building, Mackenzie) - Tel (592) 444-2313

File Copy

Date: 2024.08.15

No. 28748

Received From: Stuart Emerson Brian Hughes

The Sum of: Five Hundred twenty six thousand & seventy five dollars

\$ 526,075

For: Environmental Permit - Stone Quarry (July 2024 -

PAID	Cash <input type="checkbox"/>	Cheques <input type="checkbox"/>	Wire Transfer <input checked="" type="checkbox"/>	Balance due	Amt. \$
------	-------------------------------	----------------------------------	---	-------------	---------

June 2025) (2024-260)

Signature: [Signature]

