



**Environmental
Protection
Agency**

Ganges Street, Sophia,
Georgetown, GUYANA
Tel.: (592)-225-2062 / 1218 /
0506 / 6917
Fax: (592) 225-5481
Email: epa@epaguyana.org

Environmental Permit (Renewed)

Issued under the Environmental Protection Act, Cap.20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

Reference No.:	20070621-IKBSK
Fee:	Small (C1) - US\$500 (5 years), i.e., US\$100 per year
Fee paid:	Small (C1) - US\$ 500 (December 2022 – November 2027)
Address:	Mr. Imran Khan and Mrs. Bebe Shafeeza Khan Proprietors Khan's (EMO) Guyoil Service Station Lot 17, 'B' Belvedere Road Corentyne Berbice
Activity:	Operation of a Khan's (EMO) Guyoil Service Station

Mr. Imran Khan and Ms. Bebe Shafeeza Khan, trading and operating as Khan's (EMO) Guyoil Service Station, hereinafter referred to as the "Permit Holders", are hereby authorised by the Environmental Protection Agency, hereinafter referred to as the "Agency", in accordance with the Environmental Protection Act, Cap.20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, to operate a Gas Station located at Lot 17, 'B', Belvedere Road, Corentyne, Berbice, hereinafter referred to as the "Project", in a manner indicated in the Application for Renewal of an Environmental Authorization submitted on October 07, 2022, and subject to the terms and conditions set forth herein under the Environmental Protection Act, Cap. 20:05, existing and/or forthcoming regulations made under the said Act, and/or any applicable laws, guidelines, best practices, and standards relevant to this project.

This is a renewal of the Operation Permit, Reference No.: 20070621-IKBSK, issued on June 20, 2017, and expired on May 31, 2022.

Terms and Conditions for the operation to be adhered to by the Permit Holder, his servant(s), agent(s), and/or sub-contractor(s):

1.0 OPERATION

- 1.1 Make an application to the Agency to vary this Environmental Permit (Renewed) in instances where it becomes necessary to:
 - i. change the construction, operation, structure, or layout of the facility and associated buildings;
 - ii. change equipment, machine, apparatus, mechanism, system, or technology serving the facility;
 - iii. change the position and design of any outlet at the point or points of discharge of effluents; or
 - iv. effect any other change outlined in 20(3) of the Environmental Protection (Authorisations) Regulations.
- 1.2 Adopt and comply with the Guyana National Bureau of Standard (GNBS) "Guidance for the Design, Construction, Modification, and Maintenance of Petrol Filling Stations" and any forthcoming code of practice/guidelines pertaining to the operation of the Service Stations.
- 1.3 Adhere to the requirements of the Occupational Safety and Health Act, Cap. 99:01, Laws, of Guyana.
- 1.4 Erect caution signs to warn against potential hazards or to caution against unsafe practices **on or before February 28, 2023**.
- 1.5 Maintain a sump below each fuel dispenser to capture any spillage that may occur.
- 1.6 Pipe entries under the pump sumps shall remain sealed to prevent fuel leaks.
- 1.7 Pipelines from tanks to offset filling points, dispensing equipment, and vent pipes located below the ground surface shall not be located under buildings and shall be accessible for easy maintenance.
- 1.8 An electronic shutdown system shall be installed as a primary leak detection mechanism, along with any one or more of the following leak detection mechanisms:
 - i. A gauging system;
 - ii. An overflow alarm on tanks;
 - iii. Dipstick measurements; or
 - iv. Sensors installed on the walls of the tank.
- 1.9 Make all employees, and third parties under your direction, aware of the conditions of this Environmental Permit (Renewed) and provide training on good environmental practices. Annual training schedule shall be kept and submitted to the EPA upon request.

- 1.10 Provide a fully equipped first aid kit and ensure that functional communication and transportation systems are in place to respond to emergencies.
- 1.11 Obtain and maintain Guyana Fire Service approval and submit a copy of that approval for the Agency's records within the first quarter of every year.
 - 1.11.1 Fire prevention and control equipment shall be maintained in accordance with this Approval.
- 1.12 **Forecourt: Refueling and Fuel Delivery Area**
 - 1.12.1 Fuel deliveries shall be supervised and must be conducted within the forecourt containment area, or in an area with separate bunding.
 - 1.12.2 Fuel delivery points shall be equipped with a collection trap to collect spilled fuel and divert it to a 'slop tank'.
- 1.13 **Canopy**
 - 1.13.1 Maintain a canopy cover over the fuel dispensing area with an overhang of at least 10 degrees.
 - 1.13.2 Direct uncontaminated rainwater away from roofed areas into stormwater drains.
- 1.14 In an emergency switch off all pumps using the automatic pump shut-off. Switches shall be readily accessible to the console attendant and be clearly marked **'Emergency Shut-off Switch'**.
- 1.15 Submit an **Emergency Response Plan (ERP)** to the Agency for approval **on or before May 31, 2023**. This Plan shall be communicated to employees, and third parties under your direction and include but not be limited to:
 - i. Accident Prevention Procedures;
 - ii. First Person Response;
 - iii. Notification Procedures;
 - iv. Location of clean-up equipment;
 - v. An analysis of potential accidents and response;
 - vi. Materials safety data sheet for all materials which could be spilled; and
 - vii. An Incident Clean-up Plan.

2.0 UNDERGROUND STORAGE TANKS (USTs)

- 2.1 Maintain a functional leak and overflow protection system as required in Condition 1.8.
- 2.2 Maintain corrosion protection for all metallic components (such as tanks, piping, and joints) in contact with soil and the inert material first, e.g., sand, that the tanks are placed in.
- 2.3 Submit an Underground Storage Tank Decommissioning Plan to the EPA for approval at least fourteen (14) days prior to the closure of UST/s.
- 2.4 Protective wrapping and/or coats must be continuously applied to buried piping to prevent corrosion, and periodically tested for structural integrity. A report on compliance shall be submitted as a component of the Annual Report to be submitted.

3.0 WATER QUALITY MANAGEMENT

- 3.1 Strictly adhere to the provisions of the **Environmental Protection (Water Quality) Regulations, 2000.**
- 3.2 Maintain a functional oil-water separator through which all effluent must pass before the final discharge.
- 3.6 Do not discharge effluent directly into receiving waters without prior treatment. Discharges from the oil-water separator/s into the environment shall be in accordance with the Guyana National Bureau of Standards (GNBS) *Interim Guidelines for Industrial Effluent Discharge into the Environment*. The following are the allowable limits for a Service Station and should not be exceeded:
 - i. Total Suspended Solid (TSS) < 100 mg/L;
 - ii. Oil and Grease < 10 mg/L; and
 - iii. Total Petroleum Hydrocarbon (TPH) < 40 mg/L.

Monitor the parameters above on an annual basis and submit the results to the EPA as a component of the Annual Report. Samples shall be taken from a point after the oil-water separator but before the drainage system. Samples shall be analyzed by a certified laboratory.

4.0 AIR QUALITY AND NOISE MANAGEMENT

- 4.1 Strictly adhere to the provisions of the **Environmental Protection (Air Quality) Regulations, 2000, and the Environmental Protection (Noise Management) Regulations, 2000.**


B.S.K

- 4.2 Comply with the Guyana National Bureau of Standards (GNBS) Guidelines for Noise Emissions into the Environment. Sound levels from noise-making devices should not exceed the limits below, at a distance of 15 meters (50 ft) from the source or property boundary, whichever is closer

Commercial Limits: **80 dB** [Day-time (06:00 h -18:00 h)]
75 dB [Night-time (18:00 h - 06:00 h)]

- 4.3 Operate and service all mechanical equipment in accordance with the manufacturer's specifications to ensure efficiency. Mechanical equipment shall be regularly maintained, and operate at its optimal levels to minimise atmospheric emissions.
- 4.4 Equip all significant noise-producing equipment such as generators, with mufflers and/or enclose in suitable acoustic structures (e.g., hollow concrete blocks, insulation boards, solid clay bricks, etc.), to reduce noise levels impacting the surrounding environment and to achieve compliance with GNBS requirement.
- 4.5 Maintain the exhaust stacks of the generator at a height of at least 2 meters above the generator room to minimise adverse fumes/soot impacts to contiguous areas.

5.0 WASTE MANAGEMENT

- 5.1 In accordance with the **Environmental Protection (Litter Enforcement) Regulations, 2013**, promote good sanitation and solid waste disposal practices on site; covered garbage receptacles shall be placed at strategic locations at the facility. Waste shall be collected and disposed of at an approved waste disposal facility.
- 5.2 Utilise the best practicable means of handling, storing, and disposing of all waste materials at all times.
- 5.3 Maintain a septic system on-site at all times. The septic tank shall not be located within 1.5 meters of a building or property boundary, and shall be accessible for cleaning and de-sludging. Any modification to the septic tanks must be in accordance with the *Guyana National Bureau of Standards (GNBS) "Code of Practice for the Design and Construction of Septic Tanks and Associated Secondary Treatment and Disposal Systems"*.
- 5.4 Burning of waste is **strictly prohibited**.

6.0 FUEL, WASTE OIL, AND HAZARDOUS WASTE/ MATERIAL MANAGEMENT

- 6.1 Strictly adhere to the provisions of the **Environmental Protection (Hazardous Waste Management) Regulations, 2000.**
- 6.2 Maintain a supply of oil-absorbent materials such as absorbent pads, sand, etc., at the site for the clean-up of spills.
- 6.3 Waste oil stored on site that was recovered from an oil-water separator or from servicing of generators shall be stored in a covered, bunded area to minimize adverse impacts to the environment in the event of a spillage. The bunded area must be clearly labeled and have the capacity to provide 110% containment of the total volume of waste oils stored.
- 6.4 Containers containing oil/fuel of any sort must always be covered and placed in a bunded area that can contain 110% of the total capacity of that container.
- 6.5 Store any contaminated fuel in closed leakproof containers and label them “**slop tanks**” or “**waste fuel**”.
- 6.6 Store all fuel waste above ground level in a bunded area to allow easy maintenance and leak detection.
- 6.7 Oil/fuel-contaminated absorbent materials shall be appropriately stored and disposed of by double wrapping them in heavy-duty garbage bags. All contaminated absorbent materials shall be treated by an Agency approved Hazardous Waste Treatment Facility prior to disposal at an Agency approved location.
- 6.8 Store all fuel away from ignition sources and have “**No Smoking**” signs posted where fuel is handled or stored.
- 6.9 Refrain from draining fuel or lubricants including waste oils of any quantity from equipment onto the ground or into surface water.
- 6.10 A clear sign outlining spill clean-up procedures and emergency contact numbers shall be prominently displayed at the Gas Station at all times.
- 6.11 Appropriate clean-up equipment such as spill trays, oil spill clean-up recover pump, or absorbent pads shall be readily accessible to respond to any spills that may occur onsite.
- 6.12 All fuels and waste oils shall be managed to ensure safety in handling and prevention of spills at the storage and operating site(s).

- 6.13 The safe fill level shall be clearly identified on the gauge and set at 90% to prevent overfilling. In the event of overfilling, all discharges shall be released into the secondary containment.
- 6.14 In an emergency, switch off all pumps using the automatic pump cut-off. Switches shall be readily accessible to the console attendant and be clearly marked **"Emergency Shut-off Switch"**.

7.0 COMPLIANCE, MONITORING, AND REPORTING

- 7.1 Notify the Environmental Protection Agency **within one (1) hour** of the occurrence of any environmental emergencies (e.g., oil spills, hazardous materials/wastes spills, sudden onset disaster, natural, technological, or human-induced factors that cause or threaten to cause severe environmental damage as well as harm to human health or livelihood).
- 7.2 All near misses, spills, and unwanted/accidental discharges, **amounting to less than imperial five (5) gallons**, must be recorded and reported to the Agency as a component of the Annual Report as required in Condition 7.7.
- 7.3 Discharges of contaminants **amounting to five (5) imperial gallons or more** must be reported to the Agency by submitting an *"Incident Notification Form for Spills in Onshore Operations"* using the most recent template provided by the Agency, **within twelve (12) hours of the incident**. A follow-up incident notification form shall be submitted **within seventy-two (72) hours** of the submission of the initial notification form (a total of five days after the discharge of contaminants).
- 7.4 Monitor the implementation of the conditions of this Permit, insofar as they involve adherence by your employees and all third parties under your direction.
- 7.5 Notify the Agency in writing of any change of name or ownership of the Permit Holder's facility within **thirty (30) days** after the change occurs.
- 7.6 Notify the Agency within **twenty-one (21) days** in event of death, bankruptcy, liquidation, or receivership of the Permit Holder or if the Company becomes a party to an amalgamation.
- 7.7 Submit **Annual Reports** to the EPA on your compliance with this Permit on or before **March 31**, of each year.
- 7.8 Report to the Agency any non-compliance(s) with the Environmental Permit (Renewed):

- I. Within **twenty-four (24) hours** of the time the Holder of the Environmental Authorisation for operation becomes aware of the non-compliance outlining the anticipated manner in which human health or the environment may be impacted.
 - II. Within **seventy-two (72) hours** of the time the Holder of the Environmental Permit (Renewed) becomes aware of the non-compliance, submit to the Agency a written report containing a description of the non-compliance, its cause, the period of non-compliance including exact dates and time and the anticipated time it is expected to continue if the non-compliance(s) has not been corrected.
- 7.9 Maintain and submit to the Agency records of the type, composition, and quantity of contaminant released (i.e., any solid, liquid, gas, odor, sound, vibration, radiation, heat, or combination of any of them).
- 7.10 Comply with any lawful directions given by the EPA from time to time in furtherance of the implementation of any international or other obligation for the environmental protection of Guyana.
- 8.0 INSTITUTIONAL AUTHORITY/LIABILITIES**
- 8.1 The Permit Holder shall be liable for any material environmental harm caused by polluting the environment, pursuant to s. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 8.2 The Permit Holder shall be liable for any serious environmental harm caused by polluting the environment, pursuant to s. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 8.3 The Permit Holder shall be liable for any activity that causes or is likely to cause pollution of the environment unless all reasonable and practicable measures are taken to prevent or minimize any resulting adverse effect, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 8.4 The Permit Holder shall be liable for discharging, causing, or permitting the entry into the environment, of any contaminant in any amount, concentration or level excess of that prescribed by the regulations or stipulated by this Environmental Permit (Renewed), pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 8.5 The Permit Holder shall be liable to compensate any person who suffers any loss or damage as a result of contravening conditions 8.3 and 8.4 of this Environmental Permit (Renewed), pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.

Environmental Permit (Renewed) Ref. No. 20070621-IKBSK


Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, The Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 8.6 The Permit Holder shall not be indemnified by the Agency for any activity that causes or is likely to cause pollution to the environment, resulting from adverse effects through the discharge, any contaminant in any amount, concentration, ultra-hazardous substances, chemicals or otherwise, and shall be rendered liable to prosecution and to penalties prescribed under the Environmental Protection Act and Regulations.
- 8.7 The Permit Holder shall be liable of any gross negligence or willful misconduct caused by the Permit Holder, his Servants, and/or Agents, to the environment, biodiversity, protected species, and natural habitat with respect to any release, discharge, or spill, of contaminant fluids, oil or lubricants.
- 8.8 Should the Permit Holder contravene or be likely to contravene any condition of this Permit, the Agency may serve on him an Enforcement Notice in accordance with Section 26 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 8.9 Where it appears to the Agency that the Permit Holder is engaged in any activity that may pose a serious threat to natural resources or the environment, or a risk of serious pollution of the environment or any damage to public health, the EPA may issue to the Permit Holder a Prohibition Notice, which may order him to immediately cease the offending activity, in accordance with Section 27 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 8.10 The Agency reserves the right to conduct regular inspections of the Permit Holder's activities as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap 20:05, and the Environmental Protection (Amendment) Act, 2005, and Environmental Protection (Authorisations) Regulations, 2000.
- 8.11 The Permit Holder, His Servants and/or Agents shall at all times, allow entry to the permitted facility to any Officer designated by the EPA for the purposes of conducting inspections or any other legitimate business of the Agency. Pursuant to Section 38 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana, it is an offence to assault, obstruct or hinder an authorised person in the execution of his/her duty under the said Act or its Regulations and the Permit Holder shall be liable to penalties prescribed under paragraph (c) of the Fifth Schedule for doing so.
- 8.12 The Agency has the right to modify, cancel or suspend this Permit for breach of any of the terms and conditions contained herein.
- 8.13 **This Environmental Permit (Renewed) is not the final consent; all relevant Permissions should be obtained from other regulatory bodies for continued operation.**



B.S.K

- 8.14 This **Environmental Permit (Renewed)** is effective for the period stipulated herein (**December 2022 – November 2027**).
- 8.15 This **Environmental Permit (Renewed)** shall remain valid until **November 30, 2027**, unless otherwise cancelled, suspended, modified or varied in accordance with the provisions of this Permit, or the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.
- 8.16 This Permit must be renewed by submitting a completed Application Form for Renewal of Environmental Authorisation to the Agency at least six months before this Permit expires, that is, no later than **May 31, 2027**.
- 8.17 Any late submission of renewal application(s) after the specified date as stated above, may require the Permit Holder to pay, in addition to the renewal fee, a late penalty fee (accruing at the time such obligation was first owed for renewal) at a rate of **two thousand dollars (\$2,000.00) per day for every business day late**, until such renewal application is submitted to the Agency, without prejudice to any other rights of the Permit Holder in connection therewith.
- 8.18 Failure to comply with the requirements of this Permit or with applicable laws and regulations, whether existing or forthcoming, shall render the Permit Holder liable to prosecution and to penalties, inclusive of civil penalties, injunctive relief, and imprisonment, as prescribed under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection Regulations and other applicable Laws of Guyana.

Signed by  on behalf of the Environmental Protection Agency.

Kemraj Parsram
Executive Director

Date: 23-01-2023

I hereby accept the above Terms and Conditions upon which this **Environmental Permit (Renewed)** is granted and agree to abide by the **Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, the Environmental Protection (Authorisations) Regulations, 2000, and any existing or forthcoming regulations, standards and best practices made under this Act.**

Environmental Permit (Renewed) Ref. No. 20070621-IKBSK

Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, The Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

NAME	BEBE SHAFEEZA KHAN
DESIGNATION	OWNER
DATE	23 - Jan - 2023
SIGNATURE	Bebe Shafeeza Khan



