

Ganges Street, Sophia, Georgetown, GUYANA Tel.: (592) 225-0506 Fax: (592) 225-5481

Email: epa@epaguyana.org

Website: http://www.epaguyana.org

Environmental Permit (Renewed)

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000

Reference No.:	20180731-MRAKF
Fees:	Small C2 i.e., US\$ 175 per year
Fees Paid:	US\$875 - Five (5) Years (November 2024 to October 2029)
Addressee:	Mr. Mohamed Ramzanalli Khan Proprietor Mohamed Ramzanalli Khan Construction Lot 69 Aurora Village, Essequibo Coast, Region 2, Guyana.
Activity:	Operation of a Fuel Storage Facility

Mr. Mohamed R. Khan, hereinafter referred to as the "Permit Holder", is hereby authorised by the Environmental Protection Agency (EPA), hereinafter referred to as the "Agency", in accordance with the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, to Operate a Fuel Storage Facility at Lot E1 Fairfield, Essequibo, Coast, Region 2, Guyana hereinafter referred to as "the Project", in a manner indicated in the Application for Renewal of an Environmental Authorisation submitted on September 29, 2023 and subject to the terms and conditions set forth herein under the Environmental Protection Act, Cap. 20:05, existing and/or forthcoming regulations made under the said Act, and/or any other applicable laws, guidelines, best practices, approvals, directives and standards relevant to this project.

This is a Renewal of the Operation Permit, Reference No. 20180731-MRAKF, issued on May 10, 2019, and which expired on September 30, 2023. The Environmental Permit (Renewed) is issued pursuant to the Environmental Protection (Authorisation) Regulations, 2000.

The Permit Holder, His Servants, Agents and/or Sub-Contractor(s) shall comply with the following Terms and Conditions for Operation:

A R.P

Issued under of the Environmental Protection Act, Cap 20:05. Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

1.0 OPERATION

1.1 The Permit Holder shall notify the Agency in writing and obtain its approval for **ANY** proposed changes to the operation at least **twenty-one (21) calendar days** prior to making the change. The notification shall contain a description of the proposed change in operation. It is not necessary to make such a notification if an application to vary this permit has been made and the application contains a description of the proposed change. In this condition 'change in operation' means a change in the nature or functioning of the facility, or an extension, or any additional installation, which may have consequences for the environment. Changes to operation may include but not be limited to the following:

i. changes in the construction, operation, structure, or layout of the facility and all associated buildings;

ii. changes of equipment, machine, apparatus, mechanisms, systems or

technology serving the facility;

iii. changes in the position and design of any outlet at the point or points of

discharge of effluents; or

- iv. any other change outlined in 20(3) of the Environmental Protection (Authorisations) Regulations.
- 1.2 The Permit Holder shall adopt and comply with the Guyana National Bureau of Standards "Guidance for the Design, Construction, Modification, and Maintenance of Petrol Filling Stations" and any forthcoming code of practice/guideline pertaining to the operation of fuel storage facilities.
- 1.3 The Permit Holder shall establish and maintain a register of the types and quantities of fuel and associated hazardous materials stored onsite. A summary of the registered information shall be submitted to the Agency as a component of the Annual Report.
- 1.4 The Permit Holder shall adhere to the requirements of the Occupational Safety and Health Act, Cap. 99:01, Laws, of Guyana.

2.0 FUEL HANDLING AND STORAGE

- 2.1 Fuel shall at all times be stored above-ground, in a cool, dry place and away from ignition sources.
- 2.2 'No Smoking' signs shall be posted where fuel is handled or stored.
- 2.3 The Permit Holder shall obtain and maintain Guyana Fire Service Approval and submit a copy of the approval for the Agency's records as a component of the Annual Report.
 - i. Fire prevention and control equipment shall be maintained in accordance with this Guyana Fire Service Approval.



Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 2.4 Maintain an impervious secondary containment wall around fuel storage tanks, creating a temporary holding area in the event of accidental spillage. The containment wall for areas with multiple tanks should have the capacity to provide at least 110% containment of the largest tank. The containment wall for areas with solitary tank should have the capacity to provide 110% containment of the fuel tank.
- 2.5 All secondary containment shall be sealed and all piping must enter or exit the containment over the wall. Secondary containment shall provide total containment, and no part of the tank infrastructure (e.g., dispenser, filing hoses and valves) shall protrude outside the containment.
- 2.6 Fuel storage tanks shall be inspected annually, to verify their integrity, and maintained in accordance with the manufacturer's specifications. Areas to inspect include tank foundation, connections, coatings, tank walls and piping systems. A summarised inspection report shall be compiled and submitted to the Agency as a component of the Annual Report.
- 2.7 Protection measures, such as anti-corrosive paints and coatings, shall be maintained to minimise corrosion of the fuel tanks and pipelines.
- 2.8 The Permit Holder shall ensure that at least **two (2)** of the following leak detection mechanisms are installed and maintained at the facility:
 - i. overflow alarms on tanks;
 - ii. gauging system;
 - iii. dipstick measurements;
 - iv. sensors on walls of tank and
- 2.9 The safe fill level shall be clearly identified on the gauge and set at 90% to prevent overfilling. In the event of overfilling, all discharges shall be released into the containment bund.
- 2.10 The Best Available Technology/ Technique (BAT) shall be utilised and maintained to capture fuel lost during the unloading of fuel to storage tanks and refuelling of equipment.
- 2.11 Secondary containment, drip trays or other overflow and drip containment measures shall be utilised and maintained at connection points or other possible overflow points.

3.0 WATER QUALITY

- 3.1 Strictly adhere to the provisions of the Environmental Protection (Water Quality) Regulation, 2000.
- 2.1 The Permit Holder shall install and maintain an oil-water separator through which all

A RP

Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

effluent must pass before final discharge and submit pictorial evidence to Agency by December 31, 2024.

- The Permit Holder shall maintain the integrity of the existing waterways at all times. Discharges into the environment shall be in accordance with the Guyana National Bureau of Standards (GNBS) Guidelines for Industrial Effluent Discharge into the Environment. The following are the allowable limits for this type of project and shall not exceed:
 - i. Total Suspended Solid (TSS) < 100 mg/L;
 - ii. Oil and Grease < 10 mg/L; and
 - iii. Total Petroleum Hydrocarbon (TPH) <40 mg/L

The Permit Holder should submit an analysis of discharges for oil-water separator for the first three (3) months to the Agency as a component of the Annual Report. Samples shall be taken from a point after the oil-water separator but before the drainage system. Samples shall be analyzed by a certified laboratory.

- The Permit Holder shall avoid soil and water contamination from fuel, grease, waste 3.3 oils and other petroleum products.
- Maintain an interceptor drain, which must be adequately sloped to collect storm flow.
- Ensure that drains are cleared of debris on a regular basis to promote free flow of water.

4.0 AIR QUALITY AND NOISE MANAGEMENT

- Strictly adhere to the provisions of the Environmental Protection (Air Quality) Regulations, 2000 and the Environmental Protection (Noise Management) Regulations, 2000.
- 4.2 The Permit Holder shall handle and store liquid fuel in such a manner so as to prevent the emission of offensive odours.
- The Permit Holder shall comply with the Guyana National Bureau of Standards (GNBS) Guidelines for Noise Emissions into the Environment. Sound levels from noise-making devices shall not exceed the limits below, at a distance of 15 metres (50ft) from the source or property boundary, whichever is closer.

Residential Limits: 75 dB during the daytime (06:00 h - 18:00 h) **60 dB** during the night-time (18:00 h - 06:00 h)

4.4 All significant noise-producing equipment, such as generators, shall be equipped with silencers or mufflers and/or be enclosed in suitable acoustic enclosures to reduce noise levels impacting the surrounding environment and to achieve compliance with Guyana National Bureau of Standards (GNBS) requirement. A A!

Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 4.5 All generators and machines/equipment shall be serviced in accordance with manufacturers' specifications to ensure efficiency and reduce the level of noise produced. A summarised maintenance report shall be available upon request by the Agency.
- 4.6 The Permit Holder shall ensure that exhaust stacks are at least **two (2) meters above** the tallest nearby building to minimise adverse fumes/soot impacts to the contiguous areas.

5.0 WASTE MANAGEMENT

- 5.1 In accordance with the Environmental Protection (Litter Enforcement) Regulations, 2013, promote good sanitation and solid waste disposal practices on site; covered garbage receptacles shall be placed at strategic locations at the facility, and waste shall be collected and disposed at an approved waste disposal facility.
- 5.2 Burning of waste is **strictly prohibited**. At all times utilize the best practicable means of handling, storing and disposing of all waste materials.
- 5.3 Maintain good house-keeping, sanitary, and hygienic practices and improvement in the aesthetic quality of your surroundings at all times. Regular cleaning of the surroundings and drains should be clean of vegetation and litter.

6.0 FUEL, WASTE OIL AND HAZARDOUS WASTE/ MATERIAL MANAGEMENT

- 6.1 The Permit Holder shall strictly adhere to the provisions of the Environmental Protection (Hazardous Waste Management) Regulation 2000.
- 6.2 Waste oils recovered from oil-water separator or from the servicing of generators shall be stored in a covered bunded area to minimize adverse impacts to the environment in the event of a spillage.
- 6.3 The bunded area shall be clearly labelled and have the capacity to provide 110% containment of the total volume of waste oils stored.
- 6.4 The Permit Holder shall store any contaminated fuel in closed leak proof containers and label "slop tanks" or 'waste fuel'.
- 6.5 Fuel/lubricants including waste oils shall not be drained from equipment onto the ground or into waterways.
- 6.6 All hazardous waste shall be treated by an Agency authorized Hazardous Waste Treatment Facility prior to disposed by an Agency authorised Waste Disposal Facility.

A RI

Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000,

All waste treatment and disposal shall be documented on a Waste Manifest Form which shall submitted to the Agency as a component of the Annual Report.

7.0 SPILLS AND EMERGENCY MANAGEMENT

- 7.1 The Permit Holder shall employ and maintain appropriate procedures in keeping with good international industry practice (GIIP) to minimize spill risks, detect leaks, capture spills and minimize the release of hydrocarbons during transport/transfer, resale and other Project related activities.
- 7.2 The Permit Holder shall ensure that there is an emergency spill clean-up kit available on site to address potential spills. Included in the kits should be absorbent materials, drain seals, and other appropriate tools for cleaning up and **submit pictorial evidence to Agency by December 31, 2024.**
- 7.3 Ensure that appropriate clean-up equipment such as spill trays, oil spill clean-up recover pump, oil spill dispersant spray system or sorbent pads are readily accessible during refuelling exercises.
- 7.4 Notify the Environmental Protection Agency within one (1) hour of the occurrence of any environmental emergencies (e.g., oil spills, hazardous materials/wastes spills, sudden onset disaster, natural, technological or human- induced factors that cause or threaten to cause severe environmental damage as well as harm to human health or livelihood).
- 7.5 All near misses, spills and unwanted/accidental discharges, **amounting to less than imperial five (5) gallons**, must be recorded and reported to the Agency as a component of the Annual Report.
- 7.6 Discharges of contaminants amounting to **five (5) imperial gallons or more** must be reported to the Agency by submitting an "Incident Notification Form for Spills in Onshore Operations" using the most recent template provided by the Agency, **within forty-eight (48) hours** of the incident. A follow-up incident notification form shall be submitted **within seventy-two (72) hours** of the submission of the initial notification form (a total of five days after the discharge of the contaminants.
- 7.7 The Permit Holder shall adhere to the most recently Agency approved **Emergency Response Plan (ERP)**, for the entire facility.

8.0 COMPLIANCE MONITORING AND REPORTING

8.1 The Permit Holder shall monitor the implementation of the conditions of this Permit, insofar as they involve adherence by your employees and all third parties under your direction.



Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 8.2 The Permit Holder shall notify the Agency in writing of any change of name or ownership of the Permit Holder's facility within **thirty (30) days** after the change occurs.
- 8.3 The Permit Holder shall notify the Agency within **twenty-one (21) days** in event of death, bankruptcy, liquidation or receivership of the Permit Holder or if the Company becomes a party to an amalgamation.
- 8.4 The Permit Holder shall maintain and submit to the Agency records of the type, composition and quantity of contaminant released (i.e., any solid, liquid, gas, odour, sound, vibration, radiation, heat or combination of any of them).
- 8.5 The Permit Holder shall submit an **Annual Report** to the Agency containing the information required under this Environmental Permit on or before **March 31**, each year.
- 8.6 Report to the Agency any non-compliance with the Environmental Permit (Renewed):
 - i. Within **twenty-four (24) hours** of the time the Holder of the Environmental Permit becomes aware of the non-compliance outlining the anticipated manner in which human health or the environment may be impacted.
 - ii. Within **seventy-two (72) hours** of the time the Holder of the Environmental Permit becomes aware of the non-compliance, submit to the Agency a written report containing a description of the non-compliance, its cause, the period of non-compliance including exact dates and time and the anticipated time it is expected to continue if the non-compliance(s) has not been corrected.

9.0 INSTITUTIONAL AUTHORITY AND LIABILITIES

- 9.1 The Permit Holder shall be liable for any material environmental harm caused by polluting the environment, pursuant to S. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 9.2 The Permit Holder shall be liable for any serious environmental harm caused by polluting the environment, pursuant to S. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 9.3 The Permit Holder shall be liable for any activity that causes or is likely to cause pollution of the environment unless all reasonable and practicable measures are taken to prevent or minimize any resulting adverse effect, pursuant to S. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 9.4 The Permit Holder shall be liable for discharging, causing or permitting the entry into

ARP

Issued under of the Environmental Protection Act, Cap 20:05. Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

the environment, of any contaminant in any amount, concentration or level excess of that prescribed by the regulations or stipulated by this Environmental Permit (Renewed), pursuant to S. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.

- 9.5 The Permit Holder shall be liable to compensate any person who suffers any loss or damage as a result of contravening conditions 8.3 and 8.4 of this Environmental Permit, pursuant to S. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 9.6 The Permit Holder shall not be indemnified by the Agency for any activity that causes or is likely to cause pollution to the environment, resulting from adverse effects through the discharge, any contaminant in any amount, concentration, ultra-hazardous substances, chemicals or otherwise, and shall be rendered liable to prosecution and to penalties prescribed under the Environmental Protection Act and Regulations.
- 9.7 The Permit Holder shall be liable of any gross negligence or wilful misconduct caused by the Permit Holder, his Servants and/or Agents, to the environment, biodiversity, protected species and natural habitat with respect to any release, discharge, or spill, of contaminant fluids, oil or lubricants.
- 9.8 Should the Permit Holder contravene or be likely to contravene any condition of this Permit, the Agency may serve on him an Enforcement Notice in accordance with Section 26 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 9.9 Where it appears to the Agency that the Permit Holder is engaged in any activity that may pose a serious threat to natural resources or the environment, or a risk of serious pollution of the environment or any damage to public health, the Agency may issue to the Permit Holder a Prohibition Notice, which may order him to immediately cease the offending activity, in accordance with Section 27 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 9.10 The Agency reserves the right to conduct regular inspections of the Permit Holder's activities as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap 20:05, and the Environmental Protection (Amendment) Act, 2005, and Environmental Protection (Authorisations) Regulations, 2000.
- 9.11 The Permit Holder, His Servants and/or Agents shall at all times, allow entry to the permitted facility to any Officer designated by the Agency for the purposes of conducting inspections or any other legitimate business of the Agency. Pursuant to Section 38 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana, it is an offence to assault, obstruct or hinder an authorised person in the execution of his/her duty under the said Act or its Regulations and the Permit Holder shall be liable to penalties prescribed under paragraph (c) of the Fifth Schedule for doing so.
- 9.12 The Agency has the right to modify, cancel or suspend this Permit for breach of any of

of RP

Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

the terms and conditions contained herein.

- 9.13 This Environmental Permit (Renewed) is not the final consent, all relevant Permissions shall be obtained from other regulatory bodies for continued operation.
- 9.14 This Environmental Permit is effective for the period stipulated herein, **November 2024 to October**, **2029**.
- 9.15 This Environmental Permit shall remain valid until **October 31, 2029**, unless otherwise suspended, cancelled, modified or varied, in accordance with the provisions of this Permit or the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.
- 9.16 This Permit shall be renewed by submitting a completed Application form for Renewal of Environmental Authorisation to the Agency at least **six (6) months** before this Permit expires, that is, no later than **May 31, 2029.**
- 9.17 Any late submission of renewal application (s) after the specified date as stated above, may require the Permit Holder to pay, in addition to renewal fee, a late penalty fee (accruing at the time such obligation was first owed for renewal) at a rate of **two thousand dollars (GY\$2000.00) per day for every day late**, **until such renewal application is submitted to the Agency**, without prejudice to any other rights of the Permit Holder in connection therewith.
- 9.18 Failure to comply with the requirements of this Permit or with applicable laws and regulations, whether existing or forthcoming, shall render the Permit Holder liable to prosecution and to penalties, inclusive of civil penalties, injunctive relief and imprisonment, as prescribed under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection Regulations and other applicable Laws of Guyana.

Signed by

ental Protection

Kemraj Parsram ² Executive Director on behalf of the Environmental Protection Agency.

Date

Issued under of the Environmental Protection Act, Cap 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

I hereby accept the above terms and conditions upon which this Environmental Permit (Renewed) is granted and agree to abide by the Environmental Protection Act, Cap. 20:05, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, and any existing or forthcoming regulations, guidelines, best practices and standards made under this Act.

NAME	MOHAMED RAMZANALLI KHAN
DATE	20/11/2024
SIGNATURE	Mant Gerand Los
DESIGNATION	

