Ganges Street, Sophia, Georgetown, GUYANA Tel.: (592) 225-0506 Fax: (592) 225-5481

Email: epa@epaguyana.org

Website: http://www.epaguyana.org

Environmental Permit

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

Reference No.:	20210714-JAGSK	
Fee:	Large (C2) - US\$2,000 per year	
Fees Paid:	US\$10,000: Five (5) years (February 2023 to January 2028)	

Addressee:

Mr Brian Tiwarie Managing Director Jags Aviation Inc.

Lot 1-2 Mudlot, Water Street, Kingston

Georgetown Guyana

Activity: Operation of a Terminal Building with Aircraft Hangar and Apron

Jags Aviation Inc., herein referred to as the "Permit Holder", is hereby authorised in accordance with the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, for Airfield Operations including a Terminal Building, Aircraft Hangar and Apron within the Ogle Aerodrome at the Eugene F. Correia International Airport hereinafter referred to as "the Project", in the manner indicated in the Application submitted on July 14, 2021, subject to the terms and conditions set forth herein under the Environmental Protection Act, existing or forthcoming regulations made under the said Act and/or any other applicable laws, best practices, guidelines and standards relevant to this project.

Terms and Conditions for Operation to be adhered to by the Permit Holder, his servants, agents and sub-contractors:

1.0 GENERAL

- Make an application to the Agency to vary this Environmental Permit in instances where it becomes necessary to:
 - I. Change the construction, operation, structure, or layout of the facility and all associated buildings;

John W

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- II. Change equipment, machine, apparatus, mechanism, system or technology serving the facility;
- III. Change the position and design of any outlet at the point or points of discharge of effluents; or
- IV. Affect any other change outlined in 20(3) of the Environmental Protection (Authorisations) Regulations.
- The Project shall be implemented in accordance with the plans submitted to the Agency, all specifications of location, pathways, reserve and boundary lines must be adhered to, unless otherwise authorised, evidence of which, must be provided to the Agency.
- Implement all mitigation measures and recommendations as outlined in the accepted **Environmental Assessment and Management Plan** (EAMP) submitted to the Agency on July 27, 2021.
- 1.4 Consult and coordinate with contractors/subcontractors and the relevant/affected utility companies, local government bodies, government organisations, such as, the Guyana Lands & Surveys Commission (GLSC), Neighbourhood Democratic Councils (NDCs), Guyana Water Inc. (GWI), Guyana Power and Light (GPL), and Guyana Telephone and Telegraph Co Ltd (GTT), etc. to establish schedules and mechanisms for implementation of the Project. Additionally, ensure that utility providers and relevant authorities are consulted on the location of their facilities such as conduits and cables, etc. to ensure that appropriate actions are taken such as relocation of utility poles, markings, temporary shut off of utilities, etc. prior to the commencement of works.
- Adhere to requirements of the Occupational Health and Safety Act, Cap 99:10, Laws of Guyana.
- Employ or designate an employee to the role of an **Occupational Health** and **Safety (OHS)/Environmental Officer** to be responsible for the implementation and coordination of all safety requirements and terms and conditions stipulated in this Permit, as well as compliance monitoring with the preparation of all required reports to the EPA.
- Working environment shall be monitored at all times for occupational hazards.
- Prepare and implement an **Emergency Response Plan/Evacuation Plan** and ensure that it is posted at strategic locations.

NB: All employees shall be aware of the Emergency Response Plan, and their respective duties and responsibilities.

Jan W

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- Obtain approval from the Guyana Fire Service and provide fire protection measures such as fire extinguishers and sand buckets in accordance with this approval.
- 1.10 Ensure that the Fire Safety Certificate is renewed annually and all firefighting equipment are maintained and serviced regularly. Fire Safety Certificate must be submitted to the Agency upon request during compliance inspections and in the Annual Report.

2.0 WATER AND SOIL QUALITY MANAGEMENT

- 2.1 Strictly comply with the provisions of the Environmental Protection (Water Quality) Regulations 2000.
- Maintain the integrity of the existing waterways at all times. Discharges into the environment shall be in accordance with the Guyana National Bureau of Standards (GNBS) Interim Guidelines for Industrial Effluent Discharge into the Environment. The following are the allowable limits for this type of project and should not be exceeded:

Total Suspended Solid (TSS) < 100 mg/L; Total Dissolved Solid (TDS) < 40 mg/L; Oil and Grease < 20 mg/L.

- 2.3 Do not discharge or dump liquid or solid wastes and/or trade effluent directly into receiving waters.
- 2.4 Ensure that all stormwater drains are regularly maintained and remain in effective operating condition during the life of the permit. Also, ensure they are protected from activities that would reduce their effectiveness. As such, the drainage must be kept free-flowing and free of debris. Maintain oil-water separators at the final discharge points of the facility.
- 2.5 Avoid soil and water contamination from fuel, grease, waste oils and other petroleum products that might be used at the project site. Ensure all oils, fuel, paints and chemicals are stored in a designated area.
- 2.6 Store all chemicals in leak-proof containers that are kept under waterresistant cover and surrounded by secondary containment structures (e.g., spill berms, decks, spill containment pallets), OR provide equivalent measures designed and maintained to minimize the potential discharge of treatment chemicals in stormwater and external waterways.

At ...

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 2.7 As far as practicable, conduct refuelling, oil changes and maintenance of vehicles machinery and other equipment on an impervious base. Oil spills should be cleaned up by the best practicable means.
- 2.8 Avoid excessive or inappropriate use of cleaning chemicals. The use of biodegradable/water-based cleaning products is encouraged.

3.0 AIR QUALITY MANAGEMENT AND NOISE ABATEMENT

- 3.1 Strictly comply with the Environmental Protection (Air Quality) Regulations, 2000 and the Environmental Protection (Noise Management) Regulations 2000.
- 3.2 Noise emissions shall not exceed the Guyana National Bureau of Standards (GNBS) *Guidelines for Noise Emissions into the Environment* as stated below.

Transportation Limits: 100 dB during the day (06:00 h - 18:00 h) 80 dB during the night (18:00 h - 06:00 h)

- 3.3 Ensure that all activities are done in such a manner so as to prevent, minimise, control and or avoid adverse noise nuisance to the surrounding environment. Accordingly, the Best Available Technologies or measures; e.g. silencers, mufflers, enclosures or other appropriate devices, must be utilized to mitigate adverse noise impacts from heavy machinery on the environment.
- 3.4 Ensure generators are situated away from sensitive receptors with their exhaust stacks at a sufficient distance from other buildings. Exhaust stacks should be at least 2 metres higher than the tallest nearby building to minimise adverse fumes/soot impacts to the contiguous areas. Inform the Agency in writing if this requirement conflicts with the regulations of the Guyana Civil Aviation Authority (GCAA).
- 3.5 Monitor ambient air quality to determine compliance with the World Health Organisation (WHO) **Air Quality Guidelines for Particulate Matter in the Environment**, not exceeding the limits below:

PM_{2.5}: 25 μ g/m₃ 24-hour mean **PM**₁₀: 50 μ g/m₃ 24-hour mean

3.6 All equipment capable of causing, or preventing, emissions shall be maintained in accordance with the manufacturer's instructions. An annual

If w

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

maintenance schedule shall be submitted as a component of the **Annual Report**.

- 3.7 Conduct Air Quality monitoring in accordance with the approved **Environmental Assessment and Management** Plan and submit the Monitoring Report to the Agency as part of the submission of the required Annual Report. All monitoring should be done by trained personnel using calibrated equipment.
- 3.8 Record, investigate and address complaints of excessive noise, dust and vibrations from the public promptly upon receipt. Maintain a record of all complaints received and the action taken. Records of complaint investigation shall be submitted to the Agency within twenty-four (24) hours of investigation.

4.0 FUEL AND HAZARDOUS/ WASTE MANAGEMENT

- 4.1 Strictly adhere to the provisions of the Environmental Protection (Litter Enforcement) Regulations 2013 and the Environmental Protection (Hazardous Waste Management) Regulations, 2000.
- 4.2 Maintain good housekeeping, sanitary and hygienic practices and the aesthetic quality of the surroundings at all times.
- 4.3 Promote proper solid waste management and disposal practices at the project site, place covered garbage receptacles at strategic locations around the project site, and disposed of by a competent disposal company/authority.
- 4.5 Dumping of waste into the surrounding environment is **strictly prohibited**. Waste, inclusive of waste oil and/or fuel, should not be stored within 10 meters of any waterways.
- 4.6 Hazardous waste shall be treated and/or disposed by an EPA authorised Hazardous Waste Disposal Facility. All hazardous waste treatment and disposal shall be documented on a Waste Manifest Form which shall be submitted to the EPA as a component of the **Annual Report**.
- 4.7 Conduct refuelling, oil changes and maintenance of equipment on an impervious base.
- 4.8 Spill equipment shall be available and utilised for containing and mitigating spills from fuel, waste oils, lubricants, paints, etc.

A

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 4.9 Hazardous contaminated absorbent pads and materials may be disposed of at an incineration operation approved by the Agency or by an approved Waste Disposal Company.
- 4.10 Designate an area for the storage of fuel, used oil, washing detergents, sanitizers and other hazardous materials. Hazardous materials/ waste storage areas shall be clearly labeled and secured. The following warning signs shall be clearly posted:
 - a) "Hazardous Waste Storage Area"
 - b) Danger "Authorised Personnel Only"
 - c) No eating, drinking or smoking
- 4.11 Hazardous waste (e.g. fuel, waste oils, lubricants, etc.) shall be contained in bunded/kerbed storage areas. These areas shall adhere to the following requirements:
 - a) Be situated in low traffic areas.
 - b) No interceptor drains shall be constructed.
 - c) Be bunded to provide 110% containment of the largest volume of hazardous materials stored therein.
- 4.12 Hazardous waste shall be stored in containers appropriate for the waste stream; that is:
 - a) Sealed Plastic Containers
 - i. Water based waste
 - b) Sealed Metal Containers
 - i. Solvents and petroleum-based products
 - ii. Oil and oily absorbents
- 4.13 Adequate toilets, waste disposal and sanitary facilities must be provided at all site(s).

5.0 COMPLIANCE MONITORING AND REPORTING

- 5.1 Strictly comply with any lawful directions given by the Agency from time-totime in furtherance of the implementation of any international or other obligation for the environmental protection of Guyana.
- Monitor the implementation of the conditions of this Environmental Permit, insofar as they involve adherence by employees and all third parties under your direction.

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- Report to the Agency any non-compliance(s) with this Environmental Permit.
 - 5.3.1 Within **twenty-four (24) hours** of the time the Holder of this Environmental Permit becomes aware of the non-compliance, with the anticipated manner in which it may endanger human health or the environment may be impacted.
- 5.3.2 Within **seventy-two (72) hours** of the time the Holder of the Environmental Permit becomes aware of the non-compliance, submit to the Agency a written report containing a description of the non-compliance, its cause, the period of non-compliance including exact dates and time and the anticipated time it is expected to continue if the non-compliance(s) has not been corrected.
- Submit an **Annual Report** to the EPA at the end of the construction year (February March) on your compliance with this Permit. The report shall include:
 - a. the name, location and type of facility;
 - b. types and quantities (in metric units) of hazardous waste generated;
 - c. manner of storage, use, any applied treatment standards/methods and disposal of these substances;
 - d. data concerning off-site shipments of waste, i.e. local disposal facility utilised, country to which hazardous waste is shipped, purpose of shipment and amount of waste shipped;
 - e. a summary of any accidents that may have occurred and any action taken; any waste minimisation efforts undertaken by your facility for hazardous material/waste; and any other matter the Agency may require.
 - f. any waste minimisation efforts undertaken by your facility for hazardous material/waste; and
 - g. any other matter the Agency may require.

The Agency considers all materials listed in Schedules I and II of the Environmental Protection (Hazardous Waste Management) Regulations, 2000, to be hazardous.

Notify the EPA within **twenty-four (24) hours** of the occurrence of any environmental emergencies (e.g. oil spills, hazardous materials/wastes spill, sudden onset disaster, natural, technological or human-induced factors that cause or threaten to cause severe environmental damage as well as harm to human health or livelihood).

of co

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- Notify the Agency in writing of any change of name or ownership of the Permit Holder's facility within **thirty (30)** days after the change occurs.
- 5.7 Notify the Agency within **twenty-one** (21) days in event of death, bankruptcy, liquidation or receivership of the Permit Holder or if the Company becomes a party to an amalgamation.

6.0 INSTITUTIONAL AUTHORITY/LIABILITIES

- 6.1 The Permit Holder shall be liable for any material environmental harm caused by polluting the environment, pursuant to s. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 6.2 The Permit Holder shall be liable for any serious environmental harm caused by polluting the environment, pursuant to **s. 39** of the **Environmental Protection Act, Cap. 20:05, Laws of Guyana**.
- 6.3 The Permit Holder shall be liable for any activity that causes or is likely to cause pollution of the environment unless all reasonable and practicable measures are taken to prevent or minimize any resulting adverse effect, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- The Permit Holder shall be liable for discharging, causing or permitting the entry into the environment, of any contaminant in any amount, concentration or level excess of that prescribed by the regulations or stipulated by this Environmental Permit, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 6.5 The Permit Holder shall be liable to compensate any person who suffers any loss or damage as a result of contravening conditions 6.3 of this Environmental Permit pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- The Permit Holder shall not be indemnified by the Agency for any activity that causes or is likely to cause pollution to the environment, resulting from adverse effects through the discharge, any contaminant in any amount, concentration, ultra hazardous substances, chemicals or otherwise, and shall be rendered liable to prosecution and to penalties prescribed under the Environmental Protection Act and Regulations.
- 6.7 The Permit Holder shall be liable of any gross negligence or willful misconduct caused by the Permit Holder, his Servants and/or Agents, to the

Al S

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- environment, biodiversity, protected species and natural habitat with respect to any release, discharge, or spill, of contaminant fluids, oil or lubricants.
- 6.8 Should the Permit Holder contravene or be likely to contravene any condition of this Permit, the Agency (EPA) may serve on him an Enforcement Notice in accordance with **Section 26** of the **Environmental Protection Act**, **Cap. 20:05**, **Laws of Guyana**.
- Where it appears to the Agency that the Permit Holder is engaged in any activity that may pose a serious threat to natural resources or the environment, or a risk of serious pollution of the environment or any damage to public health, the EPA may issue to the Permit Holder a Prohibition Notice, which may order him to immediately cease the offending activity, in accordance with **Section 27** of the **Environmental Protection Act, Cap. 20:05, Laws of Guyana**.
- 6.10 The EPA reserves the right to conduct regular inspections of the Permit Holder's activities as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap 20:05, the Environmental Protection (Amendment) Act, 2005, and Environmental Protection (Authorisations) Regulations, 2000.
- The Permit Holder, His Servants and/or Agents shall at all times, allow entry to the permitted facility to any Officer designated by the EPA for the purposes of conducting inspections or any other legitimate business of the Agency. Pursuant to **Section 38** of the **Environmental Protection Act, Cap. 20:05, Laws of Guyana**, it is an offence to assault, obstruct or hinder an authorised person in the execution of his/her duty under the said Act or its Regulations and the Permit Holder shall be liable to penalties prescribed under paragraph (c) of the Fifth Schedule for doing so.
- 6.12 The EPA has the right to modify, cancel or suspend this Permit for breach of any of the terms and conditions contained herein.
- 6.13 This Environmental Permit is not the final consent; all relevant Permissions should be obtained from other regulatory bodies for continued operation.
- 6.14 This **Environmental Permit** is effective for the period stipulated herein, **February 2023 to January 2028**.
- This Environmental Permit shall remain valid until January 31, 2028, unless otherwise suspended, cancelled, modified or varied, in accordance with the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

Ste

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

- 6.16 This Environmental Permit shall be renewed by submitting "an Application for Renewal of Environmental Authorisation to the Agency at least six (6) months before this Permit expires, that is, no later than **July 31, 2027**.
- Any late submission of renewal application(s) after the specified date as stated above, may require the Permit Holder to pay, in addition to renewal fees, a late penalty fee (accruing at the time such obligation was first owed for renewal) at a rate of **two thousand dollars (GY\$2,000.00) per day for every business day late**, until such renewal application is submitted to the Agency, without prejudice to any other rights of the Permit Holder in connection therewith.
- 6.18 Failure to comply with the requirements of this Environmental Permit shall render the Permit Holder liable to prosecution and to penalties prescribed under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection Regulations, 2000, including civil penalties and injunctive relief.

Signed by Agency.

on behalf of the Environmental Protection

Executive Director

Date

2022 -02 -01

Issued under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.

I hereby accept the above Terms and Conditions upon which this Construction Permit is granted and agree to abide by the Environmental Protection Act, Cap.20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, the Environmental Protection (Authorisations) Regulations, 2000, and any forthcoming regulations, best practices, guidelines and standards made under this Act.

NAME:	CHAISTOPHER CHEONG.
SIGNATURE:	Elley .
DESIGNATION:	GENTRA MANGER
DATE:	29 March 2003



e