



Environmental Protection Agency

Ganges Street, Sophia
Georgetown, GUYANA
Tel. : (592) 225-2062 / 1218 / 0506/
6917/ 5467
Fax: (592) 225-5481
Email: epa@epaguyana.org
Website: www.epaguyana.org

Environmental Permit

(Issued under the Environmental Protection Act, Cap. 20:05, the Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000)

Reference No.:	20241001-GACAC
Fee:	Large (C2) - US\$1500 per year
Fees Paid:	US\$7,500 - Five (5) years – September 2025 to August, 2030

Addressee:

Mr. Reeaz Khan
Managing Director
GuyAmerica Construction Inc
Lot 48 Stanley Place,
Kitty, Georgetown, Guyana.

Activity: Construction and Operation of an Asphalt Plant & Ready-Mix Concrete, Equipment, Maintenance and Material Storage Facility.

GuyAmerica Construction Inc., hereinafter referred to as the “Permit Holder,” is hereby authorised in accordance with the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000, to construct and operate an Asphalt Plant & Ready-mix Concrete, Equipment, Maintenance & Materials Storage Facility situated at Moblissa, Soesdyke Linden Highway, hereinafter referred to as “the Project”, in the manner indicated in the Application submitted on October 01, 2024, subject to the terms and conditions set forth herein under the Environmental Protection Act, existing or forthcoming regulations made under the said Act and/or any other applicable laws, best practices, guidelines and standards relevant to this project.

Terms and Conditions for Operation to be adhered to by the Permit Holder, his Servants, Agents and/or Sub-Contractor(s):

The Permit Holder shall:

1.0 GENERAL

- 1.1 The Permit Holder shall notify the Agency in writing to obtain its approval for **ANY** proposed changes to the Project defined herein at least **fourteen (14) days** prior to making the change. The notification shall contain a description of the proposed change

in operation. It is not necessary to make such a notification if an application to vary this Permit has been made and the application contains a description of the proposed change. In this condition, 'change in operation' means a change in the nature or functioning, or an extension, or any additional installation, which may have consequences for the environment. Changes in operation may include but are not limited to the following:

- a. Change the construction, operation, structure, or layout of the facility and all associated buildings;
- b. Change equipment, machine, apparatus, mechanism, system or technology serving the facility;
- c. Change the position and design of any outlet at the point or points of discharge of effluents; or
- d. Any other change outlined in 20(3) of the Environmental Protection (Authorisations) Regulations.

1.2 Any Approval issued in accordance with Condition 1.2 may be issued subject to such further terms and conditions as the Agency deems appropriate, and such further terms and conditions shall be considered as forming part of the present Permit so that any breach or contravention thereof, shall be considered a breach or contravention of the Permit.

1.3 The Permit Holder shall submit to the Agency upon receipt, **CH&PA approval** for the construction & operation and the **updated lease from Guyana Lands & Survey Commission** reflecting the correct land use.

1.1 The Permit Holder shall submit an **Environmental Assessment Management Plan (EAMP)** to the EPA for approval **within six (6) months of the date of issuance of this Permit**. The EAMP must comply with the following guidelines:

- 1.1.1 The EAMP must incorporate an Emergency Response Plan (ERP). The ERP should clearly provide measures for its management to protect the surrounding environment and human health in emergency and non-emergency scenarios.
- 1.1.2 The EAMP must contain mitigation plans for all potential impacts of the project, including those on:
 - a. Water quality – the relevant features such as temperature, salinity, pH, colour, transparency, oil and grease, and organic material concentration measured by total organic carbon (TOC), (COD), (BOD), turbidity measured by suspended solids (SS); sanitation-related factors determined by measuring the amount of coliform bacteria, etc.
 - b. Air quality
 - c. Solid waste management

d. Socio-cultural resources

1.1.3 The EAMP must include a Comprehensive Environmental and Social Monitoring Plan (CESMP). This plan shall address the construction and the operation phases separately and should contain but may not be limited to the following:

- a. A site plan or map detailing the GPS locations of final discharge point(s) for each effluent stream(s) generated,
- b. Parameters to be analyzed;
- c. Sampling locations to be monitored;
- d. Schedules for monitoring and reporting;
- e. Analytical methods;
- f. A site map detailing the locations where emissions occur and the sampling and analytical methods to be used.
- g. Site plan or map detailing the GPS coordinates of sampling locations for each emission stream(s) generated,
- h. Parameters to be analyzed
- i. Sampling locations to be monitored
- j. Schedules for monitoring and reporting inclusive of ambient air quality, stack testing, fence line monitoring of primary air contaminants and noise monitoring.

- 1.4 The Permit Holder shall obtain a **Fire Safety Certificate from the Guyana Fire Service and submit it to the Agency.**
- 1.5 The Permit Holder shall adhere to the Occupational Health and Safety Act requirements, **Cap 99:10, Laws of Guyana.**
- 1.6 The Permit Holder shall employ or designate an employee to the role of an **Occupational Health and Safety (OHS)/Environmental Officer** to be responsible for the implementation and coordination of all safety requirements and terms and conditions stipulated in this Permit, as well as compliance monitoring with the preparation of all required reports.
- 1.7 The Permit Holder shall **notify the public at least two (2) weeks in advance** of the project's estimated duration, estimate work times and expected difficulties, e.g. road closures and diversions etc., that may occur due to the construction and operation phases.
- 1.8 The Permit Holder shall ensure that construction works will **not be executed between 18:00 hrs. to 06:00 hrs.,** on any day, close to communal areas unless, approval is sought from the EPA. This requirement does not apply for large concrete pours or asphalt laying and earth removal where work in the early morning and late evening is required.

- 1.9 The Permit Holder shall take all necessary precautions to minimize potential adverse impacts on public health and the environment in the transport, storage, and handling of operational materials, including crusher run, siftings, and sand that will emanate as a result of the construction and operation of the plants.
- 1.10 The Permit Holder shall ensure that the Standard Operating Procedures (SOPs) for the Safe Operation of the cement mixing plant, asphalt plant, and other associated equipment be established and maintained on-site and made available for inspection by the Agency upon request.
- 1.11 The Permit Holder shall ensure that servicing and maintenance of the batching plant, asphalt plant, generator(s), and other equipment shall be conducted in accordance with the manufacturer's specifications. Summarised maintenance records shall be maintained onsite and be made available for inspection by the Agency upon request.
- 1.12 The Permit Holder shall install adequate traffic control devices, signage, guardrails, and warning tape at work sites. Additionally, a suitable speed limit must be enforced to control traffic speed within the campsite.

2.0 Occupational Safety & Health

- 2.1 The Permit Holder shall adhere to requirements of the **Occupational Health and Safety Act, Cap 99:10, Laws of Guyana.**
- 2.2 The Permit Holder shall employ or designate an employee to the role of an **Occupational Health and Safety (OHS)/Environmental Officer** to be responsible for the implementation and coordination of all safety requirements and terms and conditions stipulated in this Environmental Permit, as well as compliance monitoring with the preparation of all required reports to the Agency.
- 2.3 The Permit Holder shall establish and maintain an Emergency Response Plan in keeping with Good International Industry Practice (GIIP). The ERP must include, but not limited to:
 - a. procedures to be followed in the event of a mishap.
 - b. the actions personnel must take to respond to fires, explosions, or any unplanned sudden or non-sudden release of hydrocarbon or hazardous waste to air, soil, or water body;
 - c. systems for notification of national and local emergency response authorities and regulatory bodies;
 - d. the names and contact information of all persons qualified to act as emergency responders;

- e. a list of all emergency response equipment at the facility (internal and external), including decontamination equipment, and a map showing where various equipment is located; and
 - f. an evacuation plan for facility personnel where there is a possibility that evacuation could be necessary. This plan must describe signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes (in cases where the primary routes could be blocked by releases of hazardous waste or fires), muster point(s), etc.
- 2.4 The Permit Holder shall ensure that the working environment is monitored at all times for occupational hazards.
- 2.5 The Permit Holder shall ensure that only trained and certified workers are to install, maintain, or repair electrical equipment.
- 2.6 The Permit Holder shall ensure that the necessary **Personal Protective Equipment (PPE's)** are provided for each of the staff **and should be worn at all times.**
- 2.7 The Permit Holder shall ensure that adequate rest areas, waste disposal and sanitary facilities are provided at the construction site(s) for workers.
- 2.8 The Permit Holder shall ensure that employees do not work shifts in excess of eight (8) hours to reduce fatigue and risks of accidents/injuries onsite.
- 2.9 A First Aid Kit equipped according to the Guyana Red Cross standards must be on site(s) at all times. Additionally, communication and transportation systems must be in place to respond to emergencies.

3.0 NOISE AND AIR QUALITY MANAGEMENT

- 3.1 The Permit Holder shall comply with the ***Environmental Protection (Air Quality) Regulations, 2000 and the Environmental Protection (Noise Management) Regulations 2000.***
- 3.2 The Permit Holder shall comply with the **Guyana National Bureau of Standards (GNBS) Guidelines for Noise Emissions into the Environment** at a distance of **15 m (50 ft)** from the source or at the location of the nearest receptor, whichever is closer.

Industrial Limits not exceeding
100 dB - daytime (06:00 h – 18:00 h) and
80 dB - night time (18:00 h – 06:00 h)

Noise Quality monitoring shall be conducted in accordance with the parameters listed

above by trained personnel utilizing calibrated equipment. Records of each monitoring exercise shall be maintained as results submitted to the Agency as a component of the Environmental Annual Report.

- 3.3 The Permit Holder shall ensure that all significant noise-producing equipment, such as generators, machines, etc., are suitably equipped with silencers or mufflers to reduce noise emission levels and are placed on a foundation properly designed to ensure effective damping of vibrations. Additionally, the Permit holder shall ensure adequate equipment maintenance and that obsolete tools and equipment are replaced.
- 3.4 The Permit Holder shall ensure that the exhaust stacks of the generator and asphalt plant shall be at a height not less than 2 meters above the tallest building nearby, to minimize adverse fumes/soot impacts to the contiguous areas.
- 3.5 The Permit Holder shall create a buffer zone (vegetated or otherwise) around the perimeter of the project to mitigate the impacts of noise and dust on the surrounding environment.
- 3.6 The Permit Holder shall implement dust control measures at point sources to minimize dust pollution, specifically during the operation of the concrete mixing plant and the asphalt plant.
- 3.7 The Permit Holder shall ensure that visual and odor assessments of emissions shall be done frequently during operation. Remedial action must be taken immediately in the case of abnormal emissions.
- 3.8 The Permit Holder shall respond to equipment malfunction or **inefficiencies** which may result in visible emissions to air, in the event of malfunction leading to abnormal emissions the operator shall:
 - investigate and undertake remedial action **immediately**;
 - adjust the process or activity to minimize those emissions; and
 - record the events and actions taken.
- 3.9 Ambient air quality monitoring shall be conducted at the boundary of the property during normal operations to assess the levels of the following air pollutants, in accordance with the following Air Quality Guidelines:

Parameter	Acceptable Standards	Organization	Standard
Volatile Organic Compounds	0.75ppm	OSHA	8-hour TWA
Nitrogen Dioxide	200 ug/m ³	WHO	hourly
	40 ug/m ³	WHO	annually

Operation Permit Ref. No. 20241001-GACAC

Issued under of the Environmental Protection Act, Cap 20:05, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000

Particulate Matter 2.5	5 ug/m ³	WHO	annually
	15 ug/m ³	WHO	24 hours
Particulate Matter 10	45 ug/m ³	WHO	24 hours
	15 ug/m ³	WHO	annually
Carbon Monoxide	4 mg/m ³	WHO	24 hours
	30 mg/m ³	WHO	1 hour
Sulphur Dioxide	30 ug/m ³	WHO	annually
	20 ug/m ³	WHO	24 hours
	500 ug/m ³	WHO	10 minutes

Monitoring of the parameters above shall be conducted at the EPA-approved sampling point(s) and the results analyzed at a certified laboratory or by trained personnel using calibrated equipment. The analysis shall be submitted to the Agency as part of the **Environmental Annual Report**.

- 3.10 The Permit Holder shall ensure that the following Best Available Techniques (BAT) shall be used to reduce emissions from engines and machinery:
- Catalytic converters for Carbon Monoxide
 - Low sulfur or sulfur-free fuels, flue gas desulphurization, and/or
 - Dry sorbent injection
- 3.11 The Permit Holder shall implement good housekeeping practices to avoid or minimise the accumulation of dusty materials that have the potential to become airborne, and prompt immediate cleanup of spilled or accumulated materials.
- 3.12 The Permit Holder shall ensure that particulate matter and dust suppression methods shall be maintained around the stockpiles and plants. Ensure that the following dust suppression methods are implemented:
- Wet suppression to control dust emissions from material stockpiles, and other components of the operation that contribute to dust emissions in accordance with a schedule;
 - Stockpiles of sand and other dusty materials shall be located in an area of low winds as far as possible from nearby residents;

- Erecting dust screens/fences to control particulate matter/dust emissions.
 - Storage of sandstone and other aggregates on the roadway and government reserves is strictly prohibited;
 - Stockpiles shall be relatively flat on top and shall not exceed a height of two (2) meters;
 - Cover stockpiles of sand and other dusty materials with tarpaulin or other suitable material, when not in use for extended periods, to prevent particles from becoming airborne.
- 3.13 The Permit Holder shall ensure all vehicles transporting raw materials to the site and finished materials from the site are covered/enclosed.
- 3.14 The Permit Holder shall ensure the asphalt plant and the ready mix concrete plant follow appropriate measures to prevent pollution and to ensure that:
- 3.14.1 All production machinery and equipment are serviced on a regularly scheduled basis per manufacturer's specifications and upgraded, if necessary, to meet minimum particulate emission criteria levels;
- 3.14.2 The proper operational procedures, equipment maintenance, and operator training are provided to ensure efficient equipment performance; and
- 3.14.3 Construct an enclosure for loading asphalt to mitigate the fumes' impact.
- 3.15 The Permit Holder shall ensure that in the event of equipment inefficiencies or malfunctions that may result in visible or abnormal emissions to the air, the operator shall:
- Investigate and undertake remedial action immediately;
 - Adjust the process or activity to minimize those emissions; and
 - Record the events and actions taken (this shall be submitted in the **Environmental Annual Report**).
- 3.16 The Permit Holder shall ensure excessive emissions of fugitive dust and or odours from any part of the construction and operation, which cause complaints, must necessitate in-stack and or ambient air monitoring, and or the installation of additional air pollution control equipment.
- 3.17 The Permit Holder shall comply with the following point source limits for each dust collector:
- 0.12 Pound/Hour**
0.60 Tons/Year
- 3.18 The Permit Holder shall comply with the agreed point source limits and/or operational controls as described below:

- Dust collectors: Use well-designed and operated baghouses
Maintain dust collector inspection and preventive maintenance program
Implement good housekeeping controls

- 3.19 The Permit Holder shall ensure that the dust collector inspection and preventive maintenance program shall be maintained. Information shall be made available to the Agency upon request.
- 3.20 The Permit Holder shall limit the idling of equipment or vehicles, as far as practical, and switch off all equipment or vehicles when not in use.
- 3.21 The Permit Holder shall record, investigate, and address complaints of excessive noise, dust, and vibration by residents or any other stakeholder.

4.0 WATER AND SOIL QUALITY MANAGEMENT

- 4.1 The Permit Holder Shall strictly comply with the provisions of the **Environmental Protection (Water Quality) Regulations 2000**.
- 4.2 The Permit Holder Shall take necessary precautions to avoid soil compaction, erosion, siltation, and sedimentation during the construction and operation by limiting the size of areas that would be disturbed, slope length and gradient, and the duration of soil exposure.
- 4.3 The Permit Holder Shall store stockpiles of materials, including production waste, in a secured, designated area and protected from wind and water erosion. Materials should not be placed within 10m of a watercourse or drain.
- 4.4 The Permit Holder Shall avoid soil and water contamination from fuel, grease, waste oils, and other petroleum products. Store all oils, fuel, paints and chemicals in a designated area, 10m away from watercourses on an impervious base to minimise adverse environmental impacts in the event of spillage.
- 4.5 The Permit Holder Shall limit vegetation removal to the extent necessary for works to proceed. In areas where soils are not to be removed, the grassed vegetation layer shall be maintained, where possible, to protect the soil from erosion and compaction.
- 4.6 The Permit Holder Shall monitor the point of release of the internal drainage system before release into the surrounding drainage twice per year (June and December) and submit results, analysis methodology used, and atmospheric conditions in the Annual Report when the test was conducted to the Agency.
- 4.7 The Permit Holder shall maintain all surface drains, ensuring that they are clear and accessible flowing, regularly monitor for blockage of the same, and immediately clean the drain/canal if the blockage is discovered.

- 4.8 The Permit Holder Shall not discharge wastewater effluent directly into receiving waters without prior treatment. A silt trap should be installed on-site to collect runoff to discharge into external drains.
- 4.9 The Permit Holder Shall ensure all wastewater from the operation is treated via the three-stage precipitation tank to remove sediments before discharge, and the pH of the water is monitored before release.
- 4.10 The Permit Holder Shall conduct biannual water quality testing at the discharge points of the site for **Dissolved Oxygen and pH** and submit those results to the Agency as part of the requirements for the Annual Report.

5.0 HAZARDOUS MATERIALS/WASTE MANAGEMENT

- 5.1 The Permit Holder shall strictly adhere to the provisions of the **Environmental Protection (Litter Enforcement) Regulations 2013** and the **Environmental Protection (Hazardous Waste Management) Regulations, 2000**.
- 5.2 The Permit Holder shall maintain good housekeeping, sanitary and hygienic practices and the aesthetic quality of the surroundings at all times.
- 5.3 The Permit Holder shall promote proper solid waste management and disposal practices at the project site(s), place covered garbage receptacles at strategic locations around the project site(s).
- 5.4 The Permit Holder shall reuse waste material where practical such as land-filling material for the project site(s).
- 5.5 Dumping of waste into the surrounding environment is **strictly prohibited**. Waste, inclusive of waste oil and/or fuel, shall not be stored within 10 meters of any waterways.
- 5.6 The Permit Holder shall ensure that hazardous waste is treated and/or disposed by an EPA authorised Hazardous Waste Disposal Facility. All hazardous waste treatment and disposal shall be documented on a Waste Manifest Form which shall be submitted to the EPA as a component of the **Environmental Annual Report**.
- 5.7 The Permit Holder shall conduct refuelling, oil changes and maintenance of equipment on an impervious base.
- 5.8 The Permit Holder shall ensure that spill equipment is available and utilised for containing and mitigating spills from fuel, waste oils, lubricants, paints, etc.
- 5.9 The Permit Holder shall designate an area for the storage of fuel, used oil, washing detergents, sanitisers and other hazardous materials. Hazardous materials/ waste storage areas shall be clearly labelled and secured. The following warning signs shall be clearly posted:

Operation Permit Ref. No. 20241001-GACAC

Issued under of the Environmental Protection Act, Cap 20:05, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000

- I. “Hazardous Waste Storage Area”
- II. Danger - “Authorised Personnel Only”
- III. No eating, drinking or smoking

5.10 Hazardous waste shall be contained in bunded /kerbed storage areas. These areas shall adhere to the following requirements:

- I. Be situated in low traffic areas;
- II. No interceptor drains shall be constructed; and
- III. Be bunded to provide 110% containment of the largest volume of hazardous materials stored therein.

5.11 Hazardous waste shall be stored in containers appropriate for the waste stream; that is:

- a. Sealed Plastic Containers
 - i. Water-based waste
- b. Sealed Metal Containers
 - ii. Solvents and petroleum-based products
 - iii. Oil and oily absorbents

5.12 Hazardous waste/materials storage containers shall be inspected weekly for signs of leakage, deterioration or corrosion. Damaged containers must be replaced immediately. Inspection reports must be maintained and signed by the appropriately qualified inspecting officer and his/her supervisor.

5.13 The Permit Holder shall ensure that adequate toilets, waste disposal and sanitary facilities are provided at all site.

5.14 The Permit Holder shall ensure that portable toilets be installed in accordance with the **Public Health Ordinance, 1953**. All portable toilets shall be emptied by the contracted Waste Disposal Services. Disposing of raw sewage into the surrounding environment is **strictly prohibited**.

6.0 COMPLIANCE MONITORING AND REPORTING

6.1 The Permit Holder Shall notify the Environmental Protection Agency within **twenty-four (24) hours** of any environmental emergencies.

6.2 The Permit Holder Shall maintain and submit to the Agency records of the type,

composition and quantity of contaminant (i.e. any solid, liquid, gas, odour, sound, vibration, radiation, heat or combination of any of them) released.

- 6.3 The Permit Holder Shall notify the EPA of non-compliance with this Permit's conditions and any accidental discharge of environmental contaminants.
- 6.4 The Permit Holder Shall monitor the implementation of the conditions of this Permit insofar as they involve adherence by your employees and all third parties under your direction.
- 6.5 The Permit Holder Shall make all employees/contractors aware of the Conditions of the Operation Permit and provide training on sound environmental management practices.
- 6.6 The Permit Holder Shall report to the Agency any non-compliance(s) with the environmental authorisation:
- 6.6.1 Within **twenty-four (24) hours** of the time the Holder of the environmental authorisation becomes aware of the non-compliance(s), the anticipated manner in which it may endanger human health or the environment.
 - 6.6.2 Within **seventy-two (72) hours**, submit to the Agency a written report containing a description of the non-compliance(s), its cause and the period of non-compliance(s) including exact dates and time.
 - 6.6.3 Submit a report to the Agency indicating the reasons and the anticipated time it is expected to continue if the non-compliance(s) has not been corrected.
- 6.7 The Permit Holder Shall submit Environmental Annual Reports to the EPA on the progress of the operation and compliance with the conditions under which this Permit was granted on or before **March 31** of each year.

7.0. INSTITUTIONAL AUTHORITY/LIABILITIES

- 7.1 The Permit Holder shall be liable for any material environmental harm caused by polluting the environment, pursuant to s. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.2 The Permit Holder shall be liable for any serious environmental harm caused by polluting the environment, pursuant to s. 39 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.3 The Permit Holder shall be liable for any activity that causes or is likely to cause pollution of the environment unless all reasonable and practicable measures are taken to prevent or minimize any resulting adverse effect, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.

Operation Permit Ref. No. 20241001-GACAC



Issued under of the Environmental Protection Act, Cap 20:05, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000

- 7.4 The Permit Holder shall be liable for discharging, causing, or permitting the entry into the environment, of any contaminant in any amount, concentration, or level excess of that prescribed by the regulations or stipulated by this Environmental Permit, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.5 The Permit Holder shall be liable to compensate any person who suffers any loss or damage as a result of contravening conditions 6.3 and 6.4 of this Environmental Permit, pursuant to s. 19 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.6 The Permit Holder shall not be indemnified by the Agency for any activity that causes or is likely to cause pollution to the environment, resulting from adverse effects through the discharge of any contaminant in any amount, concentration, ultra-hazardous substances, chemicals or otherwise, and shall be rendered liable to prosecution and to penalties prescribed under the Environmental Protection Act and Regulations.
- 7.7 The Permit Holder shall be liable for any gross negligence or willful misconduct caused by the Permit Holder, his Servants and/or Agents, to the environment, biodiversity, protected species, and natural habitat with respect to any release, discharge, or spill of contaminant fluids, oil, or lubricants.
- 7.8 Should the Permit Holder contravene or be likely to contravene any condition of this Permit, the Agency (EPA) may serve on him an Enforcement Notice in accordance with Section 26 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.9 Where it appears to the Agency that the Permit Holder is engaged in any activity that may pose a serious threat to natural resources or the environment or a risk of serious pollution of the environment or any damage to public health, the EPA may issue to the Permit Holder a Prohibition Notice, which may order him to immediately cease the offending activity, in accordance with Section 27 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana.
- 7.10 The EPA reserves the right to conduct regular inspections of the Permit Holder's activities as part of its monitoring and enforcement requirements under the Environmental Protection Act, Cap 20:05, the Environmental Protection (Amendment) Act, 2005, and Environmental Protection (Authorisations) Regulations, 2000.
- 7.11 The Permit Holder, His Servants and/or Agents shall at all times allow entry to the permitted facility to any Officer designated by the EPA for the purposes of conducting inspections or any other legitimate business of the Agency. Pursuant to Section 38 of the Environmental Protection Act, Cap. 20:05, Laws of Guyana, it is an offense to assault, obstruct or hinder an authorised person in the execution of his/her duty under the said Act or its Regulations, and the Permit Holder shall be liable to penalties prescribed under paragraph (c) of the Fifth Schedule for doing so.

- 7.12 The EPA has the right to modify, cancel, or suspend this Permit for breach of any of the terms and conditions contained herein.
- 7.13 This Environmental Permit is effective for the period stipulated herein, **September 2025 to August 2030.**
- 7.14 This Environmental Permit shall remain valid until **August 31, 2030**, unless otherwise suspended, canceled, modified, or varied, in accordance with the Environmental Protection Act, Cap. 20:05, Laws of Guyana, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000.
- 7.15 This Environmental Permit shall be renewed by submitting "an Application for Renewal of Environmental Authorisation to the Agency at least six (6) months before this Permit expires, that is, **no later than February 28, 2030.**
- 7.16 Any late submission of renewal application(s) after the specified date as stated above, may require the Permit Holder to pay, in addition to renewal fees, a late penalty fee (accruing at the time such obligation was first owed for renewal) at a rate of two thousand dollars (GY\$2000.00) per day for every business day late, until such renewal application is submitted to the Agency, without prejudice to any other rights of the Permit Holder in connection therewith.
- 7.17 Failure to comply with the requirements of this Permit or with applicable laws and regulations, whether existing or forthcoming, shall render the Permit Holder liable to prosecution and to penalties, inclusive of civil penalties, injunctive relief and imprisonment, as prescribed under the Environmental Protection Act, Cap. 20:05, Laws of Guyana, the Environmental Protection Regulations, and other applicable Laws of Guyana.

Operation Permit Ref. No. 20241001-GACAC

Issued under of the Environmental Protection Act, Cap 20:05, Environmental Protection (Amendment) Act, 2005, and the Environmental Protection (Authorisations) Regulations, 2000

Signed by  on behalf of the Environmental Protection Agency.
Kemraj Parsram
Executive Director.


Date 2025. 9. 19.

I hereby accept the above Terms and Conditions upon which this Operation Permit is granted and agree to abide by the Environmental Protection Act, Cap.20:05, Laws of Guyana, the Environmental Protection (Amendment) Act, 2005, the Environmental Protection (Authorisations) Regulations, 2000, and any existing or forthcoming regulations, best practices, guidelines and standards made under this Act.

NAME:	<i>Dharmendra Parmanand</i>
SIGNATURE:	<i>D Parmanand</i>
DESIGNATION:	<i>Driver</i>
DATE:	<i>19.09.2025</i>



PROTECTION



No 3

Branch Office - Berhice (Whim, Conzantine) - Tel (392) 225-5481
Linden (LEN Building - Mackenzie) - Tel (392) 337-2009 (2207)

Received From:

Eight Thousand Three Hundred Ninety Five Dollars.

For: Environmental Permit Charge - Constant
FINANCE PROBABLY FIVE DOLLARS.

PAID

Cash	<input type="checkbox"/>
Cheques	<input checked="" type="checkbox"/>
Wire Transfer	<input type="checkbox"/>

Balance due _____

Amt. \$ _____

Storage Facility Signature: *[Signature]*

(Sept 2005 - Aug 2006)

☐ Cash Cheques
☒ Wire Transfer
 Balance due _____
 Amt. \$ _____

Balance due	Amt. \$
-------------	---------

Wire Transfer 

Cash Cheques ☐ ☒

